



\$24.95

9

11

13



Resolution

(max DC)

1V

100µV

100uV

1V

100uV

10uV

100uV

0.1mV

0.1V

100uV

100µV

100μV

100uV

100uV

100uV

600mV

0.1V

100µV

DC Voltage

Ranges (V)

200mV - 1000V

200mV - 600V

200mV - 100V

200mV - 500V

200mV - 600V

0 - 1000V

200mV - 600V

200mV - 1000V

0 - 600V

1mV - 1000V

.1mV - 1000V

600mV - 600V

600mV - 600V

200mV - 1000V

400mV - 600V

600mV - 1000V

200mV - 1000V

600mV - 1000V



AC Voltage

Ranges (V)

200V - 750V

200mV - 600V

200V - 600V

200mV - 500V

200V - 600V

0 - 1000V

200V - 600V

200mV - 750V

0 - 600V

1mV - 750V

.1mV - 750V

600mV - 600V

600mV - 600V

2V - 700V

400mV - 600V

600mV - 1000V

2V - 750V

600mV - 1000V



DC Current

Ranges (A)

200uA - 10A

200mA - 10A

200µA - 10A

200µA - 10A

200uA - 10A

0 - 10A

.2mA - 10A

20μA - 10A

0 - 10A

.1μA - 10A

.1μA - 20A

6A - 10A

6A - 10A

2mA - 10A

400µA - 10A

600uA - 10A

2mA - 10A

60mA - 10A



**AC Current** 

Ranges (A)

0 - 10A

20uA - 10A

0 - 10A

.1μA - 10A

.1μA - 20A

6A - 10A

6A - 10A

20mA - 10A

400μA - 10A

600μA - 10A

2mA - 10A

60mA - 10A

**Basic Measurement Functions** 

Resistance

Ranges ( $\Omega$ )

200Q - 2MQ

 $200\Omega - 20M\Omega$ 

200Q - 2MQ

 $200\Omega$  -  $2M\Omega$ 

 $200\Omega$  -  $2M\Omega$ 

0 - 50M

 $200\Omega$  -  $2M\Omega$ 

 $200\Omega$  -  $200M\Omega$ 

 $0 - 10M\Omega$ 

1Q - 40MQ

 $.1\Omega - 40M\Omega$ 

 $600\Omega$  -  $40M\Omega$ 

 $600\Omega - 40M\Omega$ 

 $200\Omega$  -  $200M\Omega$ 

 $400\Omega - 40M\Omega$ 

 $600\Omega$  -  $50M\Omega$ 

 $200\Omega - 200M\Omega$ 

 $600\Omega$  -  $50M\Omega$ 



Capacitance

Ranges (F)

0 - 9999uF

0 - 100μF

.001nF - 200µF

.1nF - 100μF

1000nF - 9999μF

1000nF - 9999uF

2000pF - 20uF

4nF - 200uF

10nF - 9999μF

20nF - 200μF

1000nF - 9999uF



Frequency

Ranges (Hz)

0 - 200K

0 - 5M

001 - 10M

.001 - 10

99.99 - 50k

99.99 - 50k

10 - 10M

199.99 - 199.99k

99 99 - 99 99k

Includes mounting hardware



Temperature Range

-20 to 750

-200 to 1090

-20 to 1000

-50 to 1000

-20 to 750

0 to 760

-200 to 1090

-40 to 400

-200 to 1400

-328 to 1994

-58 to 1832

-4 to 1382

-58 to 1832

0 to 1400

-328 to 1994

-40 to 752

PLUKE.





Diode

Test

V

V

Battery

Test

Test



Transistor

hFE Test



FLUKE.



True

RMS

RS-232 PC

Interface

Analog

Bargraph



\* Web Code: HBK

Jameco

1928476

645618

355207

2131127

220759

2113471

220741

2206061

2206053

645626

1581177

1537328

1537336

645571

211650

2173634

2208462

185535

Size

(H" x W" x D")

5.5 x 3.1 x 1.6

5.4 x 3.0 x 1.5

54x27x12

3.6 x 1.8 x 1.0

5.7 x 3.0 x 1.4

7.4 x 3.4 x 1.3

5.7 x 3.0 x 1.4

7.7 x 3.7 x 2.2

5.8 x 3.0 x 1.6

5.7 x 2.9 x 1.6

7.4 x 3.2 x 2.0

6.3 x 3.3 x 1.9

6.3 x 3.3 x 1.9

6.7 x 3.5 x 1.5

4.8 x 2.4 x 1.6

7.7 x 3.6 x 1.6

2.2 x 3.7 x 7.7

7.3 x 3.5 x 1.7

179 \$319.95

Pricing

\$7.95

22.49

17.95

9.95

14.95

399.95

17.95

31.95

63.95

59.95

89.95

179.95

199.95

39.95

44.95

474.95

49.95

304.95

2131135

\$8.95

24.95

19.95

10.95

16.95

419.95

19.95

34.95

69.99

64.95

99.95

189.95

209.95

44.95

49.95

499.95

54.95

319.95

PLUKE

All meters	* Web Code: HBK				
Jameco Part No.	Manufacturer Part No.	No. of rt No. Functions			
1928476	Vastech DT830B	4	1999		
645618	Extech MN35	5	2000		
355207	Velleman DVM850BL	6	2000		
2131127	Velleman DVM810	7	2000		
220759	Mastech MAS830L	7	2000		
2113471	Fluke-87-5	7	6000		

Jameco Part No.	Manufacturer Part I
1928476	Vastech DT830B
645618	Extech MN35
355207	Velleman DVM850
2131127	Velleman DVM810
220759	Mastech MAS830L
2113471	Fluke-87-5
220741	Mastech MAS838
2206061	Dawson DDM640
2206053	Dawson DDM230E
645626	Extech EX330*
1581177	Extech EX430
1537328	Fluke 115 <sup>†</sup>
1537336	Fluke 117*†
645571	Velleman DVM890
211650	Extech MN26T

2173634

2208462

185535

\*With non-contact voltage detector (100-600VAC range)

Fluke 87-5/F2 KIT#

Dawson DDM645

Fluke 179

# 6000 # Kit with accessories included

Display

2000

2000

2000

2000

6000

2000

2000

4000

4000

4000

6000

6000

2000

4000

19.999

20,000

# Multi-Functional Graphics Display with Touch Screen Capabilities – Panel Pilot Series













The Panel Pilot Series is a range of color TFT graphics meters that users can program to display a variety of meter styles previously provided by a traditional panel meter. Available in 2.4", 2.8" and 3.5" sizes, the meters are programmable via USB interface with free Windows-based configuration software. Users can

select the type of meter style they want and personalize the display by selecting preferences in color, text and voltage input scaling. Once programming is complete, the user can save all selections to the meter and computer, detach the unit and mount in their panel as they would a standard display. The unit is supplied with an ever increasing number of programmable meter styles. A NEMA 6 rated version of the 2.4" display is available for more hostile environments. 4-20mA measurement versions in all sizes also available.

Part No.	Mfr. Part No.	Description	Module Size (inch)	Connection	Supply Voltage	Measurement Range	User Interface	Price
		rea pro-	` ′					
2115354	SGD 24-M	Multi-function 2.4" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.0 x 1.9 x 0.75	Screw terminal	4-30VDC	0-40VDC	USB	\$109.95
2178275	SGD 28-M	Multi-function 2.8" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.4 x 2.3 x 0.80	Screw terminal	4-30VDC	0-40VDC	USB	99.95
2178267	SGD 35-M	Multi-function 3.5" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.7 x 3.0 x 0.90	Screw terminal	4-30VDC	0-40VDC	USB	179.95
2125149	SGD 24-M420	Multi-function 2.4" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.0 x 1.9 x 0.75	Screw terminal	4-30VDC	4-20mA	USB	119.95
2178283	SGD 28-M420	Multi-function 2.8" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.4 x 2.3 x 0.80	Screw terminal	4-30VDC	4-20mA	USB	119.95
2137924	SGD 35-M420	Multi-function 3.5" color TFT display with 3½ digit, bargraph and analog style meter styles choices	3.7 x 3.0 x 0.90	Screw terminal	4-30VDC	4-20mA	USB	149.95
2178291	SGD 24-M-IP	Multi-function 2.4" color TFT display NEMA 6 rated for hostile environments	3.0 x 1.9 x 0.75	Screw terminal	4-30VDC	0-40VDC	USB	144.95
2219292	SGD ADPT-TC	Thermocouple add-on board for PanelPilot compatible displays, supplied with K-type probe	_	_	_	-200°C-1350°C	-	34.95
2219305	SGD 43-A	Multi-function 4.3" color TFT display w/ 8 digital I/O pins, 4 16-bit analog inputs & 4 PWM outputs	4.7 x 3.1 x 2.5	Screw Terminal	4-30VDC	0-40VDC, 4-20mA	USB	274.95
2219313	SGD 43-A-DK+	Development kit with multi-function 4.3" color TFT display	7.1 x 5.8 x 2.5	Screw Terminal	4-30VDC	0-40VDC, 4-20mA	USB	499.95



# **Analog Panel Meters**

\* Web Code: YBQ • 316507: Includes current shunt

10	1	Size (W" x H" x D")	Range	Mfr. P/N	Part No.
\$8.95	\$9.95	2.4 x 1.8 x 1.3	0 - 15VDC	AVM6015	16603
9.95	10.95	2.8 x 2.4 x 1.4	0 - 15VDC	AVM7015	16671
8.95	9.95	2.4 x 1.8 x 1.3	0 - 30VDC	AVM6030	16638
9.95	10.95	2.8 x 2.4 x 1.4	0 - 30VDC	AVM7030	16654
8.95	9.95	2.4 x 1.8 x 1.3	$0-50\mu A$	AIM60005	15301
8.95	9.95	2.4 x 1.8 x 1.3	0 – 50mA	AIM6050	16523
8.95	9.95	2.4 x 1.8 x 1.3	0 - 500mA	AIM60500	16558
9.95	10.95	2.4 x 1.8 x 1.3	0 - 5A	AIM60500	16566
9.95	10.95	2.8 x 2.4 x 1.4	0 - 5A	AIM705000	16582
9.95	10.95	2.4 x 1.8 x 1.3	0 – 10A	AIM6010A	16494
12.49	13.95	2.4 x 1.8 x 1.3	0 - 30A	AIM6030A	16507



\*Meters and Testers — Enter Web Code EM1

LASCAR	Drill Moun	table Pa	nel Meters
--------	------------	----------	------------

000	SUNC)	ili Moulitable i alici	MICIG	13			~ V	ven Coae: 1	VBU
• Mount	by simply dri	lling a single hole (7/32") & inse	ert the tl	hreaded sec	tion of the panel meter •	Module	size: 1.7	71"L x 0.8	34"W
Part No.	Mfr. Part No.	Description	Digit Ht.	Supply Volt.	Measurement Range	1	5	25	2113201
2113201	EMV-1125	3½-digit, LCD volt/current meter	.50"	7.5-15VDC	200mV-20V/200µA-200mA	\$39.95	\$34.95	\$31.95	
2095040	EMV 1200	3-digit, signal pwrd, LCD voltmeter	.50"	3-50VDC	4-25VDC	. 39.95	34.95	31.95	- 6
2095074	EMC 1500	5-digit, LCD hour meter	.35"	5-27VDC	99999 hours	. 34.95	31.95	28.95	- 0
2116584	V1	3½-digit, LCD voltmeter	.25"	7-12VDC	200mV-20V	. 20.95	18.95	16.95	2095074

316603

 $^\star$ For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



\* Web Code: WBU

# • Input ranges: 200mV, 20V, 200V, 500V

• Input imped.: >100M $\Omega$  • Accuracy: ±0.5%



JAMECO ValuePro LCD Digital Panel Meters

Size: 2.7"W x 1.7"H (Velleman & ValuePro meters) • Supply volt.: 8-12VDC (recommend 9V battery P/N 151095, pg 109)

rait NU.	IVIII.	IVIII. FAIL NO.	Description		10	
2131135	VEL	PMLCDL	3½-digit	\$9.95	\$8.95	\$7.95
2076113	VEL	PMLED/5	3½-digit 5VDC	19.95	17.95	16.95
2190750	DFR	DFR0130-R	3-digit red LED (4.5V-30V)	10.95	9.95	8.95
2152323	DFR	DFR0130-B	3-digit LED (4.5V-30V w/ 1% accuracy)	10.95	9.95	8.95
2190768	DFR	DFR0244-B	LED current meter (blue)	10.95	9.95	8.95
2190776	DFR	DFR0245-R	LED current meter (red)	. 9.95	8.95	7.95
108388	JVP	PM-428 <sup>†</sup>	3½-digit (no bezel, snap mount)	. 9.95	8.95	7.95
2144606	JVP	CX102B	3½-digit red (4.75VDC-5.25VDC)	11.95	10.95	9.95
175951	JVP	PM-128†	3½-digit (bezel, screw mount)	13.95	12.49	10.95

146835 JVP PM-188BL<sup>†</sup> 3½-digit (with backlight display) ..... 14.95 13.49 11.95

**2076121** VEL PM/RES Resistor set for Velleman meters ..... 1.95 1.75 1.49 \*Mfr.: VEL = Velleman; DFR = DFRobot; JVP = Jameco ValuePro

Cannot use in common ground app.







EXTEC	Me	eters &	Testers JAMECO BenchPro	* Web C	ode: EMT
Part No.	Manufacturer	Mfr. Part No.	Description	1	5
2130749	Velleman	VTLAN4	LAN tester, tests RJ-45, 10 Base-T, Token Ring, RJ11/12 cables	\$16.95	\$14.95
14285	BenchPro	RS232	RS232 Line Tester, identifies simple interface problems on lines 2-6, 8, 11, 19, 20	9.95	8.95
2175445	Velleman	DVM6013	3½-digit Capacitance Meter	69.95	62.95
2206037	Dawson	DDM30	Smart SMD Tweezer Tester	44.95	39.95
198678	Extech	LCR Meter	Passive Component LCR Meter	210.95	199.95
2075946	P3	P4400	Kill A Watt® Energy Consumption Meter	29.95	26.95
2193432	P3	P4482	Kill A Watt® Control - Power Monitor and Automatic Timer	39.95	35.95



### **Function Generators**

SKMI

**GWINSTEK** 

\* Web Code: DEJ



2160411



2112831



Part No.	Manufacturer	Mfr. Part No.	Features	Bandwidth	# of Waveform Types	Size (in.)	Wt. (lbs.)	Includes*	Price
229251	Instek	GFG-8020H	Built-in 4-digit counter with CMOS output	2MHz	5	9.1 x 3.7 x 11.0	4.6	1, 2, 3	\$214.95
2160411	Instek	SFG-1003	DDS with FPGA design and 6-digit LED display	3MHz	4	9.9 x 3.6 x 11.5	4.6	1, 2, 3	179.95
2112831	SKMI	SK5200	Rotary switch control w/ built-in 60MHz counter	5MHz	6	11.8 x 3.5 x 10.8	5.5	1, 3	229.95

\*1. Power cord 2. BNC cable 3. User's manual

# Oscilloscopes

















\* Web Code: RCG

Les	and a second	seeeds	tudio	2205907	2205931	2127339	2137422	22	07259	1536886	2143401
Part No.	Manufacturer	Mfr. Part No.	Bandwidth	Features			Size (in.)	Wt. (lbs.)	Includes		Price
2205940	Gabotronics	GT-0007	200kHz	Mixed signal, 2N	MSa/s, PDI interface, b	oard and headers	1.98 x 1.01	0.017	Two 10-pin he	aders	\$24.95
2205907	Gabotronics	GT-0010	200kHz	Mixed signal plu	ıg-in DIP package, 2M	Sa/s, 0.96" OLED	1.615 x 1.01	0.024	Two 10-pin he	aders	59.95
2205915	Gabotronics	GT-0005	200kHz	Mixed signal plu	ıg-in DIP package, 2M	Sa/s, 2.42" OLED	3.3 x 1.75	0.065	Two 10-pin he	aders	74.95
2205931	Gabotronics	GT-0015	200kHz	Mixed signal hand	lheld, 2MSa/s, 2.42" OLE	ED, 750mAh Li-Ion	3.17 x 2.22 x 0.7	0.40	Header, USB	able, 2 test clip leads	129.95
2127339	Velleman	HPS140I	10MHz	Handheld pocke	t size, 40MSa/s, hold/s	store function,	2.9 x 4.5 x 1.1	0.91	NiMH recharg	eable battery pack,	189.95
			!	autorange, 6 ho	urs on single charge				test probe (x1	0), USB charger	
2187454	Velleman	PCSU200			ope, function generator, I spectrum analyzer	transient recorder,	3.9 x 3.9 x 1.4	0.54	USB cable, us	er's manual	149.95
2137422	Velleman	PCSGU250	12MHz		b with o-scope, spectr on generator, bode plo		2.2 x 8.2 x 7	2.1		BNC-to-RCA adaptor, software, manual	249.95
2207259	Link Instruments	MSO-28	60MHz	10-channel PC b	ased osciioscope and	logic analyzer	4.0 x 2.4 x 0.8	0.88	Power cord, B	NC cable, user's manual	324.95
1536886	SKMI	SK0404	40MHz	2-Channel scope 6" CRT display,	e with built-in 5MHz fu 20Vp-p output	ınction generator,	15.7 x 5.2 x 12.8	23.8	2 test probes AC cord, spar	(x1/x10), BNC cable, e fuse	499.95
2171655	Uniteq	DS-1065	60MHz		MSa/s, built-in delay sv igh-resolution 5.7" dis		11.8 x 5.9 x 5.1	8.0		cable, USB cable, power anual, CD software	r 649.95
2143401	Instek	GDS-1152A-U	150MHz	2-Channel, 1GS	a/s, 2Mpoint record le	ngth	12.2 x 5.6 x 5.5	7.9	Test probe, A0	cord, user's manual	599.95
2217393	Seeed Studios	T0L01241P	200kHz	USB PC-based sco	ppe, 2.8" LCD display, buil	t-in signal generator	4.1 x 2.1 x 0.3	0.4	Carying case,	stand, 2 grabbers, wrenc	h <b>124.95</b>
2217406	Seeed Studios	TES725AAB	8MHz	4-channel/2 anal	og/2 digital, built-in sig	ınal generator	3.9 x 2.4 x 0.6	0.18	2 probes, 2 gra	obers, wrench, User's Manu	ual <b>249.95</b>















Supply volatage: 4-30VDC







Part No.	Manufacturer	Mfr. Part No.	Bandwidth	Attenuation Ratio	Description	Length (ft.)	1	5
2130781	Velleman	PROBE60S	60MHz	1:1 or 10:1	IEC-1010 CAT II, 600V max	4.0	\$15.95	\$14.49
2145342	EZ Digital	T5060	60MHz	1:1 or 10:1	300VDC max.	4.0	22.95	20.95
22892	BenchPro	LF101E	60MHz	1:1 or 10:1	600VDC max.	5.0	24.95	22.49
2189880	BenchPro	P6100*	100MHz	1:1 or 10:1	600VDC max.	4.0	19.95	17.95
2130618	Velleman	PROBE100	100MHz	1:1 or 10:1	IEC-1010 CAT II, 600V max	4.0	27.95	24.95
2205982	Gabotronics	KS0LS101	_	_	Logic analyzer probe cable kit	1.1	8.95	7.95
2205958	Gabotronics	GT-0019	_	_	3.5mm plug to hook clips probe	2.0	3.49	2.99

\*2 probes included



### **Customizable Multi-Function Capacitive Touchscreen Graphic Displays** • Four 16-bit bipolar analog inputs (scalable in software to ±40V)

- · Eight digital input/output pins
- I<sup>2</sup>C, SPI, RS-485 and Ethernet support
- · Connection: screw terminal and DIL
- Part No. Mfr. Part No. 2219305 SGD 43-A Multi-function 4.3" color TFT display 2219313 SGD 43-A-DK+ Development kit, including display
- Measurement range: 0-40VDC; 4-20mA User interface: USB Module Size (in.)

• Two alarm outputs (max current sink 10mA)







2219313

\* Web Code: PNP





# 80,000-Count Benchtop Digital Multimeter

This benchtop multimeter not only provides voltage and current measurements, but also basic resistance, frequency,



continuity and diode test functions.

- · Large dual-display LCD with analog bar graph
- 50 measurement functions including capacitance, frequency, temperature
- 18 types of frequency up to 80MHz, with 0.1%-99% duty cycle
- Simultaneous measurement: (AC+DC, AC+Hz, DC+dBm, °C+°F, etc.)
- Auto data update and refresh, auto data hold, auto peak hold • RS-232 interface
- 36-hour dynamic record: MAG, MIN, AVG, MAX-MIN, setting upper & lower limit, timing measurement
- Size: 10.2"W x 8.7"D x 3.2"H

**Includes:** Test leads, thermocouple and user's manual

Part No.	Mfr. Part No.	Wt. (lbs.)	Price
2145748	DM-1150B	3.1	\$349.95



### 2.4GHz 2-Channel **Frequency Counter**

- · 8-digit green LED display with annunciators
- Adjustable range and gate time
- Frequency ranges: 0.01Hz to 2.4GHz
- · Gate time: 100 msec. to 10 sec.
- Channel A: DC coupled 0.01Hz to 100Hz; AC coupled 100Hz to 50MHz, sensitivity – 80 mVrms,  $1 \text{M}\Omega$  impedance
- . Channel B: frequency range: 50MHz to 2.4GHz, sensitivity – 50 mVrms,  $50 \Omega$  impedance
- Size: 10.6"W x 8.5"D x 3.9"H Weight: 3.5 lbs.


		- 3	
Part No.	Mfr. Part No.	1	5
1955968	DVM13MFC2U	\$149.95	\$134.95



# € EZ DIGITAL 20MHZ & 30MHZ 2-Ch Oscilliscopes

- · 6" rectangular CRT with internal graticule

- Sweep magnification (x10) 400V maximum input voltage



Includes: User's manual, 2 spare fuses, power cord

Part No.	Mfr. Part No.	Bandwidth	Price
2218265	OS-5020A	20MHz	\$444.95
2218273	OS-5030A	30MHz	499.95



## 17MHz Logic Probe

- Max input freq.: 17MHz
- Minimum pulse width: 30ns Pulse flash time: 500ms
- · Audible tones for high & low
- Input impedance: 1MΩ
- Power supply protection: ±20V
- TTL threshold:
- $Lo = 0.8V \pm 0.2V$ . Hi = 2.3V  $\pm 0.2V$
- CMOS threshold: Lo = 30% VCC, Hi = 70% VCC

Part No.	Cross Ref. No.	1	5	25
149930	LP3500	\$39.95	\$35.95	\$32.95

### 4, 8 & 16-Ch Logic Analyzers saleae

- · Monitor digitals signals Compatible with Windows, Linux, Mac OS
- 4, 8, 16 inputs/channels

Includes: Logic analyzer, flexible test lead set, micro-hook clips, USB cable



Part No.	Description	Size (L" x W" x H")	Price
2217140	4-channel	1.66 x 1.66 x 0.39	. \$109.95
2217131	8-channel	2.1 x 2.1 x 0.46	219.95
2217123	8-channel	3.6 x 3.6 x 0.59	479.95
2217115	16-channel	3.6 x 3.6 x 0.59	599.95

# Um 4-in-1 Laboratory Center

This universal system is a versatile instrument, which combines a function generator, digital multimeter, frequency counter and power supply in one unit. **NEW** 

Function Generator: • Frequency range: 0.1Hz - 10MHz

• Wave outputs: Sine, Square, Triangle, Pulse, TTL output Frequency Counter: • Channel A output: 1Hz - 100MHz • Channel B output: 100MHz - 2.7GHz

DC Power Supply: • Adjustable voltage output: 0-30V @ 0-30A • Fixed voltage output: ±15V @ 1A, +5V @ 2A Digital Multimeter: • Temperature range: -50°C to +1372°C (-58°F to +2502°F)

- Maximum AC voltage: 750VAC
- 80,000 count and bar graph display Capacitance range: 1pF-100µF
- Maximum DC voltage: 1000VDC
- Maximum AC/DC current: 20 A
- Resis. range:  $800\Omega$ - $80M\Omega$
- Diode, dBm functions, RS-232 interface Frequency range: 1kHz - 6MHz


Includes: Power cord, test leads, fuses, temperature probe, RS-232 cable for DMM, user's manual

Part No.	Mfr. Part No.	Size (W" x D" x H")	Wt. (lbs.)	1	5
2135814	US-9170A	15.0 x 12.5 x 6.6	30.2\$	899.95	\$849.95

# Valenchi

# **Oscilloscope Tutor Kit**

This board generates a number of safe "real world" signals that can help you learn terms such as V/div, as well as the measurement quanities of AC, DC, frequency and more. Most experiments can be done with a digital or analog scope. Learn more about oscilloscopes with this kit!



No slodering required, assembled and tested
 Power supply: 9-12VAC, min. 100mA

Part No.	Mfr. Part No.	Description	Size (L" x W" x H")	1	5
2175568	EDU06	Oscilloscope learning kit	4.6 x 2.9 x 0.9	\$29.95	\$28.49






## **108W Desktop Power Supply**

- Load regulation: ±2% Line regulation: ±5%
- Input voltage: 88 132VAC/176-264VAC @
- 47-63Hz (switch selectable)
- Efficiency (typical): 81% Ripple & noise máx.: 120mVp-p
- Front panel on/off switch and 3 color LED loading indicator
- Voltage adjustment range: 12-15VDC
- Short-circuit/overload/overvoltage/ overtemperature protection
- Back panel 3-prong AC receptacle and banana plugs
- Size: 5.9"W x 5.5"D x 3.3"H
   Weight: 3.3 lbs.

Part No.	Mfr. Part No.	1	10
673230	ESP-120-13.5	\$44.95	\$39.95

# PC-Base Oscilloscope, Logic Analyzer and Pattern Generator

- 100MHz spectrum analyzer/FTF
- 200 MSa/s logic analyzer
- 100 Mpt/s pattern generator
- 60MHz bandwidth
- 2 GSa/s oscillioscope
- 8 logic analyzer inputs & 1 pattern generator





\*Frequency Counters — Enter Web Code VCG



### **Logic Probe Kit**



This kit will help you easily monitor digital signals, whether they are on or off. It tests digital circuits at various points to see if they are low, high, or constantly changing, which is perfect for troubleshooting serveral kinds of digital circuits including timers, clocks, counters and more.

Mfr. Part No. EBLOG-300A ......\$11.95 \$10.95

# 2 Channel – DC to 20MHz Analog Oscilloscope w/ Function Generator

- Frequency Range: 1Hz to 1MHz
- 6" Rectangular CRT Display
- Resolution/Sensitivity: 1mV/div V Mode Switch: CH1, CH2,
- DUAL and ADD Vertical deflection and Sweep Magnification: X5



EZ DIGITAL

### **Functions Blocks:**

- Display and Power
  - Vertical Amplifier
- Function Generator: Triangle, Sine, Square and TTL-level Square waves. Sweep and Trigger


### Basic Measurements:

- · Single & Dual Trace Measurement
- Trigger Selection X-Y Measurements



- Amplitude . Time Interval Frequency
- Phase Difference Rise Time
- Dimension: 320mm (W) x 140mm (H) x 430mm (L)
- Operation: Output Frèquency Adjustment & Waveform Selection, DC Output, and TTL Output

Part No.	Mfr. Part No.	1	5
2145246	OS-5020G	\$629.95	\$569 95



# **Benchtop & Precision Power Supplies**

NAME HOUSE BRANDS

### **Single Output Benchtop Power Supplies**

· Voltage and current adjustable



















175257

301971

207618

301911

			Voltage (VDC)/	i			Short Circuit	Overload	Size	Weight	Prici	ing
Part No.	Mfr.	Mfr. Part No.	Current (A)	Power (W)	Input Voltage (VAC)	Displays (Digits)	Protection	Protection	(W" x H" x D")	(lbs.)	1	5
301920	BenchPro	HY1503C	15/3	45	115 ±10%	2-Analog	Υ	N	3.8 x 6.3 x 9.1	9.0	\$99.95	\$89.95
2130378	Velleman	PS1503SBU	15/3	45	220 @ 50Hz	2-Digital LCD (3.5)	Υ	N	8.4 x 6.0 x 3.8	6.7	109.95	99.95
175265	BenchPro	DPS150A	15/10	150	110 @ 60Hz	2-Analog	Υ	Υ	6.2 x 4.0 x 5.7	12	99.95	89.95
175257	BenchPro	SPS250A	15/15	225	110/220 @ 47-63Hz	2-Analog	Υ	Υ	6.2 x 4.0 x 5.6	3.8	149.95	144.95
301971	Lascar	PSU130	30/1	30	100/240 @ 47-63Hz	2-Digital LCD (4)	Υ	Υ	5.5 x 1.6 x 5.2	1.2	99.95	89.95
2145879	Uniteq	PS-1305	30/5	150	110/220 @ 50-60Hz	2-Digital LED (3.5)	Υ	Υ	6.5 x 5.1 x 13.0	12.3	214.95	194.95
207618	Mastech	HY3005C	30/5	150	115 ±10%	2-Analog	Υ	N	5.4 x 6.2 x 11.5	14	159.95	135.95
301911	BenchPro	HY3005D	30/5	150	115/230 ±10% (switchable)	2-Digital LCD (4)	Υ	N	5.4 x 6.2 x 11.5	13	199.95	179.95
207635	Mastech	HY3010	30/10	300	115/230 ±10% (switchable)	2-Digital LED (4)	Υ	N	10.4 x 6.5 x 14.4	31	299.95	269.95
301938	BenchPro	HY3005	30/5	195	115/230 ±10%	2-Digital LED	Υ	N	11.5 x 5.25 x 6.25	10	179.95	162.95
2171735	Uniteq	PS-3610	36/10	360	120/230 50/60Hz	2-Digital LED (3.5)	Υ	N	12.2 x 5.4 x 6.1	8.5	509.95	459.95
207600	Mastech	HY5005	50/5	250	115/230 ±10% (switchable)	2-Digital LED (4)	Y	N	10.4 x 6.5 x 14.4	17	229.95	209.95







### **Multiple Output Benchtop Power Supplies**

\* Web Code: SAX

These benchtop power supplies are a must for every laboratory. They sit out of the way of your workspace and stay ready to supply power at all times. Single and multiple outputs are available for your specific laboratory needs. Standard banana input plugs provide easy connections and precision adjustment knobs provide exact power outputs for all your projects. For more information, visit www.jameco.com.

Voltage and current adjustable











Size

Weight



Pricing

211693 301947 197991 197982 Voltage (VDC)/ Power Short Circuit Overload

1	l											9
Part No.	Mfr.	Mfr. Part No.	Current (A)	(W)	Input Voltage	Displays (Digits)	Protection	Protection	(W" x H" x D")	(lbs.)	1	5
211693	BenchPro	HY3003D-2	0-30/3; 0-30/3	180	115/230 ±10%	4-Digital LCD (3.5)	Υ	N	10.4 x 6.5 x 14.4	28	\$219.95	\$199.95
2145861	Uniteq	PS-3030DU	0-30/3; 0-30/3	180	115/230 @ 50-60Hz	4-Digital LED (3)	Υ	N	9.2 x 6.3 x 12.8	16.5	369.95	334.95
301962	Mastech	HY5003-2	0-50/3; 0-50/3	300	115/230 ±10%	2-Digital LED (3.5)	Υ	N	10.4 x 6.5 x 14.4	26	279.95	249.95
301947	Mastech	HY3005D-2	0-30/5; 0-30/5	300	115/230 ±10%	4-Digital LCD (3.5)	Υ	N	10.4 x 6.5 x 14.4	26.5	299.95	269.95
211684	BenchPro	HY3003D-3	0-30/3; 0-30/3; 5/3	195	115 ±10%	4-Digital LCD (3.5)	Υ	N	10.4 x 6.5 x 14.4	29	249.95	224.95
2145828	Unitech	PS-2303	0-30/3; 0-30/3; 5/3	195	110-120 @ 50-60Hz	4-Digital LED (3.5)	Υ	Υ	9.6 x 5.5 x 13.6	17.6	324.95	299.95
301955	Mastech	HY3005D-3	0-30/5; 0-30/5; 5/3	195	115/230 ±10%	4-Digital LCD (3.5)	Υ	N	10.4 x 6.5 x 14.4	29	319.95	289.95
2145801	Uniteq	PS-3303	0-30/3; 0-30/3; 5/3	195	110/220 @ 50/60Hz	4-Digital LED (3)	Υ	Y	11.8 x 8.7 x 5.8	11.1	369.95	334.95
2145810	Uniteq	PS-3305	0-30/5; 0-30/5; 5/3	315	110/220 @ 50/60Hz	4-Digital LED (3)	Υ	Υ	9.6 x 5.5 x 13.6	22	424.95	399.95
2145799	Uniteq	PS-3305	0-30/5; 0-30/5; 2.5, 3.3, 5/3	315	110/220 @ 50/60Hz	4-Digital LED (3)	Υ	Υ	11.8 x 5.83 x 8.66	22	489.95	439.95
197991	Extech	382213	0-30/3; 5/0.5; 12/0.5	98.5	110/120 @ 50-60Hz	2-Digital LCD (3)	Υ	Υ	6.0 x 5.6 x 9.5	11	209.95	189.95
197982	Extech	382203	0-30/3; 5/0.5; 12/0.5	98.5	110/120 @ 50-60Hz	2-Analog	Υ	Υ	6.0 x 5.6 x 9.5	11	179.95	162.95

\* Selectable



## 13.8VDC Precision Regulated Power Supply

- Heavy duty 5'8" 3-prong power cord
- · Illuminated rocker switch
- Short-circuit protected · Fuse protected
- Output mating terminals: see pg 118 for hanging terminal nlugg

iui baila	iia teiiiiiii					
Part No.	Power (W)	Output Volts @ Curr.	Input Voltage	Wt. (lbs.)	1	5
138676	276	13.8VDC @ 20A	115VAC @ 60Hz	15.9	\$79.95	\$74.95



# Pocket Photodiode Geiger Counter Kit

- Intermediate level kit with step by step instructions
- Detects alpha and beta radiation particles
- Filters out noise and RF interference with copper tubing and aluminum
- Uses PIN photodiode as a substitute for an expensive Geiger Mueller tube

Part No.	Description	Price
2170812	DIY Geiger counter	\$32.95

BEST	SELLING	TEST LE	ADS	10-3	100	80	
Part No.	Manufacturer	Mfr. Part No.	Description	Length 1	10		
10444	BenchPro	GAL01	Alligator to alligator, 10 pc	21"\$5.95	\$5.39		
135299	BenchPro	SF-207A-R	Mini grabber to mini grabber, 5 pc	14" <b>10.95</b>	9.95	-	
256832	BenchPro	CBB-069-R	BNC female to pigtail	7" <b>5.95</b>	4.95		
159899	Pomona	3782-36-02	Mini grabber to banana, 2 pc	36" <b>15.95</b>	14.49		
77746	BenchPro	FC-15B-R	Multimeter test probes, 2 pc	42" <b>6.95</b>	6.25	10444	135299



# Test Leads, Cables, Plugs, Clips & Posts

### and the color Pomona **NEW** KEYSTONE JAMECO BenchPro **Test Leads and Cables** \* Web Code: RAC 11 176954 2113877 176971 2211055 11422 256832 2113869 2158477 212222 Part No. Size (L") Manufacturer Product No Description 10 25 BNC male to male cable, RG58C/U, 50Ω, 20 AWG, black \$17.95 \$14.49 159871 Pomona 2249-C-36 36 \$15 95 2113877 3957 BNC male to Multi-Stacking banana plugs (2nd End) 1.55 18.95 16.95 14.95 Pomona 176971 4532-C-36 BNC male to Mini alligator clips w/ strain relief, RG58C/U, 50Ω, 20AWG, blk 36 23.95 21.49 19.49 11384 2218901 BenchPro BNC male to alligator clips, RG58C/U, 18AWG, 1 black, 1 red 20 4.95 4.49 3.95 174625 168516 11464 05-A-078-R BenchPro BNC male to Mini-clin test lead BG174A/II black 39 5.49 4.95 4.49 11422 BenchPro 05-A-081-R BNC male to Micro-clip test lead, RG174A/U, black 39 5.49 4.95 4.49 2097150 5187-C-36 BNC male to MiniGrabber test leads, RG58C/U 50Ω, 20 AWG, black 23.95 19.49 Pomona 36 21.49 176954 Pomona 5187-K-36 BNC male to MiniGrabber test leads, RG174/U 50Ω, 26 AWG, black 36 33.95 29.95 26.95 BNC female to pigtail, 20 AWG, 2 wire, 1 black, 1 red 256832 CBB-069 BenchPro 7 5.95 4.95 4.49 155951 CBB-070 2097555 BenchPro BNC male to pigtail, 20 AWG, 2 wire, 1 black, 1 red 9 5.95 4.95 4.49 2113869 Pomona 3788 BNC female Minigrabber test clips (2nd end) 2.56 14.95 13.49 11.95 2158477 BenchPro FC16A Probes w/ right angle banana, screw on alligator clips, 1 black, 1 red 40 8.95 7.95 6.95 2211055 Arndt TP9238 Probes, R/A with screw on alligator clip, 24 AWG, red/black 36 7.95 6.95 6.25 212222 Probe Master 8043S Softie test probe leads, 10-pc. set, interchangeable tips, 18 AWG, 1 blk, 1 red 48 34.95 31.95 28.95 174625 Probe Master 8150 Micro-tip test probe leads rt. angle (w/10 plunger type tips), 1 blk, 1 red 39 39.95 32.49 35.95 168516 BenchPro GA-5010 Universal test lead kit w/ 12 interchangeable tips, 1 black, 1 red 36 9.95 8.95 7.95 2113914 5953A 48 Pomona Adjustable tip test probe set, tip adjusts up to 3", 1 black, 1 red 29.95 26.95 23.95 155951 5519A Banana plug to rt. angle probe, insulated leads, 18 AWG 1 blk, 1 red 48 18.95 16.95 14.95 1814153 1166-48-0 7.95 6.95 6.25 Multi-stacking banana plug to alligator clip, black 48 77738 GF19-R 3.95 **BenchPro** Protected banana style multimeter test leads, 1 black, 1 red 40 4.95 4.49 77746 FC-15B-R 159901 159919 BenchPro Standard hanana style multimeter test probes 1 black 1 red 42 6.95 6.25 5.59 10444 BenchPro GAL01 Alligator clip test leads, 24 AWG (19/36), 10-pc. assorted colors 21 5.95 5.39 4.79 2210239 BenchPro GAL1016 Alligator clip test leads, 16 AWG, 2 sets, 5 colors 21 9.95 8.95 7.95 1.95 2185483 BenchPro GAL02 Alligator clip test leads, 24 AWG, 1 black, 1 red 21 1.75 1.49 GAL0216 2210247 BenchPro Alligator clip test leads, 16 AWG, 1 set (red/black) 21 5.95 5.39 4.75 B-24-02 24 159901 Pomona Stackable banana patch cords, 18 AWG, 1 black, 1 red 12.95 11.49 10.49 77842 2210239 159919 Pomona B-36-02 Stackable banana patch cords, 18 AWG, 1 black, 1 red 36 12.95 11.49 10.49 CRF-TS0284TS-XX-250MM 2208884 BenchPro Stackable banana patch cords, 18 AWG, 2 ea. (black,red,blue,white,yellow) 98 27.95 22.49 24.95 77842 BenchPro CRF-TS0284TS-XX-330MM Stackable banana patch cords, 18 AWG, 2 ea. (black,red,blue,white,yellow) 13 27.95 24.95 22.49 1814137 Pomona 1166-12-0 Alligator clip to stackable banana plug, 18 AWG, black 12 6.95 6.25 5.59 1814145 1166-12-2 Alligator clip to stackable banana plug, 18 AWG, red 12 6.95 6.25 5.59 Pomona 1814161 No Match! 1814161 Pomona 1166-48-2 Alligator clip to stackable banana plug, 18 AWG, red 48 7 95 6 95 6 25 2218919 BenchPro ACRP-20AWG1000-RR Alligator clip to stackable banana plug, 20AWG, 1 black, 1 red 20 7.95 6.95 6.25 21857 BenchPro 05-A-082-R Mini-clip to stackable banana test leads, black 39 4.95 4.49 3.95 21865 BenchPro 05-A-079-R Mini-clip to stackable banana test leads, rec 39 4.95 4.49 3.95 2189601 3782-36-02.IVP 7.95 6.25 BenchPro Mini-clip to stackable banana test leads 1 black/ 1 red 39 6.95 Pomona 2189601 159899 159899 3782-36-02 Mini-clip w/ stackable banana test leads, 20 AWG, 1 black, 1 red 36 15.95 14.49 12.95 135299 SF-207A-R Mini-clip test leads, 26 AWG, 5 sets (blue, black, yellow, red, green) 10.95 8.95 BenchPro 14 9.95 156495 Pomona 5523-R MiniGrabber<sup>™</sup> test clip patch cord, 20 AWG 10-pc. assorted colors 24 47.95 42.95 38.95 155985 2708B 9 slot test lead holder, accepts RG213 & RG214 wire sizes (blue) 11 12.95 Pomona 15.95 14.49 155977 Pomona 4408 10 slot test lead holder, accepts RG59 & RG108 wire sizes (black) 11 12.95 11.95 10.49 155969 Pomona 1508 14 slot test lead holder, accepts RG58 & RG142 wire sizes (orange) 15.95 14.49 12.95 135299 155977 \* Web Code: TLC

### Test Clips, Plugs and Posts



<sup>\*</sup>For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box

### Test Clips, Plugs and Posts (Continued) More images on previous page \* Web Code: TLC Part No. Manufacturer Product No. Description 10 100 Size (in.) 1 1582170 6091 \$1.75 Keystone Banana jack, chassis mount, 0.182" solder tab, red .937 L x .433 Dia. \$1.95 \$1.49 2168528 BenchPro 0584-BLK 0.91 L x .43 Dia. 1.49 11440 Banana jack, chassis mount, solder tab, tin-plated, black 1.25 1.09 0584-RFD 2168536 BenchPro Banana jack, chassis mount, solder tab, tin-plated, red 0.91 L x 43 Dia 1.49 1.25 1.09 GBRR2-R 125197 BenchPro Screw mount double binding/banana post, black/red 1.6 L x 1.4 W 3.95 3.49 2.95 2144024 Pomona 6883 Dual binding posts with base 1.9 L x .17 Dia. 2.95 2.75 2.49 72195 BenchPro GBP205-R Set screw banana plug, 1 black, 1 red 1.6 L x .40 Dia. 1.95 1.75 1.49 137526 BenchPro HP-2234P-R Set screw banana plug, 1 black, 1 red 2.3 L x .30 Dia. 3.95 3.59 3.29 159855 1325-02 Solderless stackable banana plug w/ set screw, 1 black, 1 red 1.55 L x .17 Dia 3.59 3.29 99355 Pomona 3.95 1825-02 Solderless stackable banana plug w/ safety collar, 1 black, 1 red 4.59 L x .39 Dia. 3.29 159863 Pomona 3.95 3.59 159927 MDP-02 Solderless stackable dbl banana plug, w/ wire guide, red (set of 2) 155 L x 118 W 6.95 6.25 5.59 Pomona 11440 BenchPro 03-701A-R BNC female to standard double banana plug, black 2.03 L x 1.7 W 4.95 4.49 3.95 125225 BenchPro GB2BR2 BNC male to standard double banana plug, black 2.21 L x 1.8 W 6.95 5.95 5.39 125233 GB1BN2 BNC female to double binding/banana posts, black 2.14 L x 1.8 W 5.39 BenchPro 6.95 5.95 114810/114818 99355 BenchPro GB2BN2 BNC male to double binding/banana posts, black 2.35 L x 1.7 W 6.95 5.95 5.39 153163 SF-207-BL-R BenchPro Micro test clip. 1 blue .79 .69 1.7 L .75 2197783 BenchPro XM-BLK Micro test clip, 1 black 1.5 L .69 .59 .49 G2P004-R 114810 BenchPro Micro test clip, 1 red, 1 black 17 I 1.75 1.49 1.25 G2P002-R 114818 BenchPro Mini test clip, 1 black, 1 red 3.5 L 2.95 2.75 2.49 2197791 BenchPro 201W36BLK Mini grabber test clip to banana plug, 3' black 2.18 L / 1.45 L 1.95 1.75 1.49 248939 248921 BenchPro SF101CP-R Mini alligator clip, solder/crimp (set of 2) 1.2 L x .30 W .49 .45 .39 248939 BenchPro SF-103CP-R Mini alligator clip, solder/crimp (set of 2) 1.6 L x .30 Dia. .59 .55 .45 256525 BenchPro SF105B-R Alligator clip, barrel/screw, 2" (set of 2) 2.0 L x .20 Dia. .59 .55 .45 2178081 Pomona 5250 8-pin SOIC gold plated test clip 1.73 L x.43 W 14.95 13.49 11.95 70991 GIP006-R 2.3 L x .50 W Insulated alligator clips, 1 black, 1 red .45 BenchPro .59 .55 Red insulator sleeve for P/N 248921 (set of 2) 1.3 L x .30 Dia. 2215654 BenchPro SLV-1.2-R .49 .44 .39







2197783













2215662

248962

248972

2208913

1581986

2168430

### 26-Piece SAE Hobby Tool Set

SLV-1.2-BK

SF-103SV-BK

SF103SV-RD-R

20-2137D

5001

37128

• 4-1/2" long nose pliers

BenchPro

BenchPro

BenchPro

Vero Tech

Keystone

Grip-On

- 4-1/2" diagonal cutting pliers
- #1 & #2 Phillips bits
- #1 & #2 pozi bits
- 3/16" & 1/4" slotted bits
- Hex to 1/4" driver adapter
- Compact carrying case
- T-10, T-15, and T-20 Torx bits Driver handle
- 3" extension bar for 1/4" drive Tweezers
- 3 slotted and 3 screw driver precision set
- 3/16", 1/4", 11/32" and 3/8" sockets for 1/4" drive

• Size: 12.0"L x 9.0"W x 2.0"H Weight: 1.5 lbs.

Part No. Description 5 170069 26-pc. SAE tool set .. \$14.95 \$13.49 \$11.95



### **40-Piece Electronic Tech Tool Kit**

- · Kit includes:
- Wire cutters/ stripper
- Adapter bit for sockets
- Pocket clip screwdriver - 10-pc screwdriver set
- T10-T25 reversible
- Torx screwdriver hits
- Potentiometer alignment tools
- 3/16"-1/2" S.A.E. nut driver sockets
- 6mm-12mm metric nut driver sockets
- Slotted and Phillips screwdriver bits
- Extra long 3-claw parts holder
- IC inserter with pin straightener IC extractor Size: 9.5"L x 6.8"W x 1.4"H · Weight: 1.7 lbs.
- 5

119183 40-piece tool kit ...... \$24.95 \$22.49 \$19.95

\* Tool Kits — Enter Web Code CAA



Black insulator sleeve for P/N 248921 (set of 2)

PCB mini test point, looped, black, 0.100ID eyelet

PCB mini test point, looped, black, 0.100ID eyelet

Black insulator sleeve for PNs 248939 & 256525 (set of 2)

Red insulator sleeve for PNs 248939 & 256525 (set of 2)

28-pc. electrical clip kit, alligatr clips and charging clips

### **65-Piece Master Electronics Tool Kit**

1.3 L x .30 Dia.

2.1 L x .20 Dia.

2.1 L x .20 Dia.

.30 L x .09 Dia.

.30 L x .09 Dia.

Various

.49

.39

.39

.25

.35

5.95

.44

.29

.29

.22

.29

5.29

.39

.25

.25

.17

.25

4.69

Simply every tool needed for field repair or installation, all in a handsome lockable case with room for spare parts or special equipment.

- · Kit includes:
- 7 pliers Storage boxWrench 3-piece soldering aid kit
- Soldering iron with stand and sponge
- 10-piece screwdriver set – Brush
- Crimping tool Oil can - Desolder wick
- 6-piece screwdriver set Desolder pump
- Testing screwdriver - 5-piece file set
- IC extractor - Flashlight - Alignment tool - 7-piece hex set
- 6-piece wrench set - 3-prong holder - Hammer - Tweezers
- Measuring tape Heat sink Scissors
- PVC insulated tape Solder core
- Utility knife (3 blades) - Part tube
- Carrying case has two removable pallets, adjustable compartments, and combination locks
- Size: 18.0"W x 13.0"D x 4.0"H
   Weight: 16.9 lbs.


Part No.	Description	1	5
218245	65-piece tool kit <b>\$1</b>	79.95	\$169.95



### **Aluminum Tool Case**

Made of lightweight aluminum, this tool case is designed to take rough field use.

 Size: 19.0"L x 14.0"W x 6.0"H Includes: Tool pallet, egg carton foam lid and 2.5" thick pre-cut foam bottom





This kit is compatible with multimeters that accept safety style sheath banana plugs store in the tri-fold nylon pouch.



### Kit includes:

- · Modular Probe Set with Brass Tip
- Minipincer Test Clip with DMM Jack
- · Minigrabber Test Clip with DMM Jack
- Extended Fine Point Test Probe Adapter
- Insulated Spade Lug Adapter
- · Flexible Test Lead Set with Right Angle and
- Straight Banana Plugs Medium Alligator Clip

IC Test Probe Tip Adapter

Part No. Description 2116015 10 piece test lead kit ........... \$64.95 \$58.95

### 18 PIECE HOBBYIST TOOL KIT

This is a perfect kit for hobbyists to organize their tools.

### Kit includes:

- · 30W soldering iron
- · Desoldering pump
- Solder in dispenser 1.0mm 17
- Heavy-duty long nose pliers Snap-off knife
- · Heavy-duty universal pliers · Adjustable wrench PLCC extraction tool
- Heavy-duty universal cutter
- · Screwdriver/voltage tester with neon indicator 5 x 90mm • Self-adjusting wire stripper
- Size: 13.4"L x 8.7"W x 2.2"H

Part No.	Description	Wt. (lbs.)	1	5
2212841	18 piece tool kit	4.0	\$39.95	\$35.95



18810



### **100-Piece Professional Electronics Tool Kit**

- · Kit includes:
- Soldering iron
- 12 screwdrivers
- 7-piece hex key set
- Extractor
- 4 Pliers
- Adjustable wrench
- Crimper/Stripper
- 6-piece screwdriver set
- 3-piece soldering aid kit
- Flashlight
- Desoldering pump
- Multimeter
- Tweezers
- 5-piece file set
- 10-piece wrench set - Voltage tester
- 2 bottles cleaning liquid
- Blade cutters
  - Scissors - Cordless screwdriver kit (bits included)
- Aluminum case features removable pallets, surface-type locks, and black plastic handle
- Size: 18.0"L x 14.0"W x 6.0"H
   Weight: 20 lbs.

Part No.	Description 1	5
242851	100-piece tool kit	\$149.95

## 12-Piece Fiber Optic Tool Kit





- Vise

- Brush

Cutters

- Tape

- Soldering stand

Solder pen

- Storage box

- Wrist strap

- Vacuum cleaner

- · Kit includes:
- SC polishing disk
- ST polishing disk - Fiber optic crimping tool - Side cutter 125mm
- Fiber optical tools
- Carbide fiber scribe
- Foam swabs cleaning kit Carrying zipper bag
- Utility component storage box
- Fiber optic 100x-200x viewing scope kit
- Universal syringe 2.5mL Fiber optic kevlar cutter Size: 11.0"L x 7.8"W x 2.8"D

Part No.	Description	Weight	Price
2193491	Fiber optic tool kit	3.5 lbs	\$179.95

\*Tool Kits — Enter Web Code CAA

### 95-Piece Pro-Tech Tool Kit

- Cleaning brushes

- Mini hobby vise

- Aluminum flashlight

- Mini drill with drill bits

- Kit includes:
  - Navy blue storage box
  - 7-piece hex key set
  - 5-piece needle file set
  - 10-piece wrench set
  - 8 different pliers
  - 6-piece precision screwdriver set
  - 29-pc. socket wrench set Hammer
  - Wire stripper/crimper - 30W soldering iron
  - Cushion grip screwdrivers Plastic fliptop box
  - Inspecting mirror Tape measure
  - Digital multimeter
  - Lead-free solder core
  - Desolder pump
  - Elastic wrist strap 6" chrome-plated wrench - IC extractor
  - Stainless steel tweezer Electrical tape
- Size: 18.4"L x 13.4"W x 6.4"H

Part No.	Description	Weight	Price
2153756	95-piece tool kit	20.6 lbs	\$199.9

# Problem

### 116-Piece Tech Service Tool Kit

- Drill

- Brush

- Extractor

– Hammer

- Solder core

- Wrist strap

- Desoldering wick

- 7-piece hex key set

Crimping tool

- · Kit includes:
- Storage box
- 8 pliers Tweezers
- Spring hook
- 3-piece soldering aid kit Desoldering pump
- 3-piece alignment tool set
- Diagonal cutter
- Soldering iron
- Forceps
- 9-piece screwdriver set
- Wire stripper
- 5-piece file set
- Flashlight – 3-prong holder
- PVC insulated tape
- Heat sink
- Measuring tape
- Inspection Mirror - 6-piece electronic screwdriver set
- 40-piece socket & screwdriver set
- 10-piece electronic wrench set
- Weight: 22.8 lbs. • Siza: 18 5"I v 13 8"W v 6 7"H

· OIZC. I	0.3 L X 13.0 W X 0.7 11	- Weight. 2	2.0 103.
Part No.	Description	1	5
149024	116-piece tool kit	\$319.95	\$289.95

### 5-Piece Needle File Set

- Round, square, tri-square, half-round, flat
- · Made of heavy duty hardened steel
- Color: black with red handle • Fach 7" long

00.0	naon man roa manaro		9	
Part No.	Description	1	10	25
2157589	5-piece file set	. \$5.95	\$5.35	\$4.79



### **Pocket Screwdriver**

\* Web Code: CAQ

100

\$1.39

### Phillips & Flat head

Dout No	Description
pocket	storage
• Pen cii	p tor

Part No. Description 6"L pocket screwdriver \$1.95 127271 \$1.59



### **Precision Cutting Knife**

· Ultra sharp cutting blades

 Precise blade with protective cover

Part No. Length 25 2157571 \$3.59



### **Deluxe Precision Knife Set**

 Three different knife handles - fine work, medium and heavy duty power grip

Size: 6.3"L x 2.8"W x 1.4"H

Includes: 13 types of blades





# Nibbling Tool

· Perfect for cutting, trimming, or notching sheet metal up to 18 AWG

Time-saver when working on

prototyping, chassis, and circuit boards Minimum 0.375" hole required
 Size: 7.8"L

Part No.	Mir. Part No.	Description	1	10
18810	HT204	Nibbling tool \$	9.95	\$8.95
29331	HT204B	Replacement bit	3.49	2.95

# COAXIAL CRIMPING **TOOL KIT**

# Kit includes:

- Crimper tool
- Screwdriver #1x125
- Round cable cutter
- Rotary coaxial cable stripper

 Spare Die: .255", .213", .187", .068" (Hex) .319", .256", .213", .068" (Hex)

.043" (SQ), .100", 213", 068",

.137", .255" (Hex) .042" (SQ), .078", .151", .068",

.128", .178" (Hex) .10", .128", .429" • Size: 12.0"L x 8.3"W x 2.3"H

Part No.	Description	Price
2106008	Q-niece tool kit	\$11/ 05



Great tool kit for anyone working on gaming consoles or other consumer electronics with special types of screws and fasteners. The ratchet handle features forward, reverse and locking function for easy operation.

### Kit includes:

- 1 handle: ratchet handle 5.5'
- 1 extension bitholder:
- extension bitholder 4.53" • 20 bits (1")
- 1 tweezers
- Nintendo bit holder • 1 multifunctional opening tool
- 2 bits (1.53"): Nintendo

• Weight: 0.8 lbs.

Part No. Description 2212832 

# **TECHNICIAN'S TOOL KIT**

This professional tool kit is essential for any technician for on the go fixing. For the full list of tools, go to Jameco.com

### Kit includes:

- Wrist strap 10 ft.
- Brush Tweezers
- LED Flash light Extractors Screwdriver handle
   Heat sink
- 4 pcs screwdriver set Double-end blades
- 7 in 1 crimping tool 3 prong holder • 8" Adjustable wrench • 5 pcs pliers set
- 5 pcs needle file set Soldering accessories • Utility knife (3 blades self-loading)
- 7 pcs folding type hex key set (inch) · Mini hammer set (including 6 parts) • 6 pcs electronic screwdriver set

Part No.	Description	Price
2196895	59-piece tool kit	\$204.95

\* For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



# Crimpers, Strippers, Cutters & Miscellaneous Tools





2112284	9944	ა	159291	2196879	161200/161218	1/5098	110	8/9/	_	215	3078 2192	2370	1/46/6
								F	unction	ıs		Pric	ing
Part No.	Manufacturer	Mfr. P/N	Description				_	Cut	Strip	Crimp	Size (L" x W")	1	5
179902	BenchPro	GPL-171	4" leaf spring cut	ters w/ flush side	cutting, forged steel, cu	shion grip		~			4.0 x 2.6	\$3.95	\$3.59
34622	Eximcorp	ES2494	4.5" spring loade	d diagonal flush	cutters, heat treated forg	ed steel, insulated handle		~			4.5 x 2.6	3.59	3.15
2123320	BenchPro	GPL-101	4.5" spring return	cutters w/ flush	side cutting, carbon ste	el, vinyl grip		~			4.5 x 2.6	4.95	4.49
35482	BenchPro	AX103	4.3" Diagonal wir	e cutters, rubber	handles, 0.5" cutting bla	de, 45° angle		~			4.3 x 2.1	8.49	6.95
2203750	Plato	175LX	5.6" Ergonomic,	ESD-safe shear le	ead cutter with guard, blu	ie grips		~			5.6 x 2.0	7.95	6.95
146712	Xcelite	170M	5" general purpos	se shearcutters, f	lush cutting, red cushior	ned grips		~			5.0 x 2.5	9.95	8.95
2188051	Xcelite	170D	5" general purpos	se shearcutter wi	th static-dissipative blac	c grips, up to 20AWG		~			5.6 x 2.7	8.95	7.95
2188060	Xcelite	1178M	5.6" heavy-duty s	hearcutters, for	C pins, cables and harne	esses, up to 14AWG, red g	rips	~			5.6 x 2.7	14.95	13.49
161411	Pro's Kit	1PK-717	5" Diagonal wire	cutters, insulated	I handles, cuts 0.08mm t	ine wire		~			5.0 x 1.8	7.95	6.95
146739	Xcelite	MS54V	4" semi-flush ova	I head cutters, di	iagonal cut, green cushic	ned grips		~			4.2 x 1.8	22.95	20.95
217921	Xcelite	MS54J	4" oval head-flus	n diagonal cutters	s, flush cut, green cushio	oned grips		~			4.3 x 1.8	22.95	20.95
1536974	Xcelite	S475NJS	5" tapered head o	liagonal cutters,	flush cut, green cushione	ed grips		~			5.0 x 2.5	22.95	20.95
217904	Xcelite	MS549JV	4" tapered head o	liagonal cutters,	flush cut, green cushione	ed grips		~			4.2 x 1.8	22.95	20.95
217867	Xcelite	MS545JV	4" slim line taper	ed head cutters,	diagonal flush cut, green	cushioned grips		~			4.2 x 1.9	22.95	20.95
2112292	BenchPro	TTK-061	UTP/STP wire str	ipper, 3-24 AWG	, shilded/unshielded/twi	sted pair cable			~		3.5 x 1.3	2.49	2.25
159185	Hanlong	HT-332D	2-blade rotary co	ax cable stripper	s, 4 settings for cable siz	res 4-12mm			~		3.9 x 0.7	12.95	11.49
114535	Hanlong	HT-336G	Ratcheted BNC c	rimper, for RG58	,RG59,RG62,RG174, and	d fiber optic				~	8.5 x 2.5	25.95	23.49
78992	Hanlong	HT-108	5" cutter/stripper	s, 10-30 AWG, s	pring return, screw-adjus	stable wire gauge		~	~		5.0 x 3.0	5.95	5.49
215889	BenchPro	JE-2022C	5" cutter/stripper	s, 10-24 AWG, s	oring return, dial to adjus	st wire gauge		~	~		5.0 x 3.0	5.49	4.95
159274	Hanlong	HT-1091	5" cutter/stripper	s, 20-24 AWG, s	oring-loaded, insulated g	rips, 45° angle		~	~		5.0 x 3.0	4.95	4.49
2112284	BenchPro	GTA-002	Automatic wire s	trippers, 10-24 A	WG, spring-loaded hand	le w/ wire stopper		~	~		6.8 x 3.2	9.95	8.95
159291	Hanlong	HT-5023	6.6" cutter/stripp	ers, 20-30 AWG,	cuts steel wire, scale ma	rkings in AWG/mm		~	~		6.6 x 2.0	10.95	9.95
99443	Hanlong	HT-202A	Non-insulated ter	minal crimper, fo	or D-subs and non-insula	ated connectors		~		~	7.3 x 1.5	10.95	9.95
159266	Hanlong	HT-213	D-sub crimper, c	rimps D-sub pins	s and sockets, works wit	h 20-28 AWG wire		~		~	7.0 x 4.0	15.95	14.49
2196879	Pro's Kit	200-080	2-in-1 cutter/strip	per tool, 14-26	AWG, hardened stainless	steel blades		~	~		5.0 x 3.0	13.95	12.49
161200	Ideal	45-120	6" cutter/stripper	s, strips 12-20 A	WG stranded, 10-18 AW	G solid, plier nose		~	~		6.0 x 2.0	16.95	14.95
161218	Ideal	45-121	6" cutter/stripper	s, strips 16-26 A	WG stranded, 14-24 AW	G solid, plier nose		~	~		6.0 x 2.0	17.95	15.95
175098	BenchPro	GTA-006H	Automatic strippe	ers, 8-22 AWG, s	pring-loaded handle with	wire stopper		~	~		7.0 x 3.5	18.95	16.49
18797	Hanlong	HT-1041	7-in-1 wire-hand	ling tool, 10-18 A	WG, steel wire cutter, w	ire loop, red		~	~	~	6.6 x 3.0	5.95	5.39
127862	Hanlong	HT-1042	7-in-1 wire-hand	ling tool, 16-26 A	WG, steel wire cutter, w	ire loop, blue		~	~	~	6.6 x 3.0	5.95	5.39
127871	Hanlong	HT-1043	7-in-1 wire-hand	ling tool, 22-30 A	WG, steel wire cutter, w	ire loop, orange		~	~	~	6.6 x 3.0	6.95	6.25
2153078	BenchPro	GRK-42N	8.5" cutter/crimp	er/stripper, ergor	nomic grip, 10-22 AWG,	wire gauge markings		~	~	~	8.5 x 3.0	7.19	6.25
2192376	BenchPro	HT-N5684	7.5" modular crin	nping tool, 8P8C	/RJ45, 6P6C/RJ12, 6P40	C/RJ11,4P4C and 4P2C		~	~	~	7.5 x 3.0	15.95	14.49
174676	BenchPro	TTK-070	Modular crimping	g tool, for RJ11 a	ınd RJ45 modular plugs,	repeatable crimping		~	~	~	8.5 x 2.2	27.95	24.95



## molex Hand Tools for Mini-Fit™ Jr.



304928: • Accepts wire range from 14-24 AWG

· Insulated small handle spread design

• Great for open-barrel terminals

304936: • For the removal of Mini-Fit Jr™ crimped terminals series from their housings

Part No.	Mfr. Part No.	Description	1	5			
304928	63811-1000	Crimp tool	\$54.95	\$49.95			
304936	11-03-0044	Extraction tool	27.95	24.95			
	* Crimming Tools Enter Web Code CDII						

# 34-Piece Security Bit Set

These bits match the security fasteners commonly used in today's électronic products.

Includes: Torx bits: #6,

#8 and #10; Tri-wing bits: #1, #2, #3 and #4; Security hex bits: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" 3/16" and 1/4"; Security Torx bits: T8, T10,

T15, T20, T25, T27, T30, T35 and T40; Spanner bits: 4, 6, 8 and

10mm; Phillips bits: #1, #2, #3 and #4; and 60mm magnetic bit extension that fits 1/4" hex driver

Part No.	Description 1	10
223829	32-piece security bit set <b>\$13.49</b>	\$12.49



# Xcelife EXIMCORP JAMECO BenchPro



### **Pliers**









































Part No.	Manufacturer	Mfr. Part No.	Description	Length	1	5
34796	Eximcorp	BN2497	Bent oval diagonal nose pliers with serrated jaws, forged steel, heat-treated, insulated grips*	4.5"	\$3.95	\$3.59
34622	Eximcorp	ES2494	Diagonal tapered spring loaded cutters, heat-treated, forged steel, spring-loaded, insulated handle*	4.5"	3.59	3.15
94512	Eximcorp	SN2468	Standard square nose pliers with serrated jaws, forged steel, heat-treated, insulated grips*	5.5"	3.59	3.29
94554	Eximcorp	NP2491	Standard nipper nose pliers, spring-loaded, forged steel, heat-treated, insulated grips*	4.25"	3.59	3.29
34762	Eximcorp	BNC2493	Standard bent oval nose pliers with cutters, serrated jaws, forged steel, heat-treated, insulated grips*	7.0"	3.59	3.29
104257	Eximcorp	SP2460	Sportman's straight square pliers, forged steel, heat-treated, insulated grips*	8.0"	3.59	3.29
98993	Eximcorp	SBP2459	Sportman's square bent pliers, forged steel, heat-treated, insulated grips*	7.5"	4.49	3.95
35474	BenchPro	GPL-204-R	Flat long nose, stainless steel, spring return, durable rubber handles, knurled jaws	5.3"	5.95	5.39
35491	BenchPro	AX104-R	Half round long nose, stainless steel, spring return, durable rubber handles, knurled jaws	5.3"	5.95	5.39
177608	BenchPro	GPL-172	Half round long nose, drop forged steel, heat treated, spring return, vinyl grips, knurled jaws	4.5"	5.49	4.95
34712	Eximcorp	NNC2480	Needle oval nose pliers with cutters and serrated jaws, forged steel, heat-treated, insulated grips*	5.25"	5.95	5.39
42104	Eximcorp	SN2481	Needle flat nose pliers with serrated jaws, forged steel, heat-treated, insulated grips*	5.25"	5.95	5.39
217891	Xcelite	L4V	Subminiature needle nose pliers, cushioned grips, general purpose use	4.0"	21.95	19.95
152055	Xcelite	S2K	Shearcutter pliers set with 5.6" needle nose plier and 5.2" electronic flush cutter, made of carbon steel	5.6" / 5.2"	21.95	19.95
73121	BenchPro	PLIERS 5PC-R	5-Piece precision stainless steel pliers set (micro cutting, micro round, long nose, flat nose, bent nose)	4.0"	19.95	17.95
2203637	Eximcorp	SN2483	Standard square nose flat smooth jaws, insulated handle*	6.0"	6.95	6.25
217998	Xcelite	LN54GV	Thin long nose pliers with cushioned grips, smooth jaws, general purpose use	5.0"	19.95	17.49
146721	Xcelite	NN7776V	Long needle nose flat pliers with cushioned grips, smooth jaws, general purpose use	6.0"	25.95	22.95
2100161	Eximcorp	EXIM10	10-piece pliers & cutters tool kit w/ the pliers marked above with an asterisk (*) and 5.3" diagonal cutters	4.25-8"	28.95	25.59

# . JAMECO

### **Hi-Speed Steel Step Drill Bit & Set**

Drill multiple holes in thin material with the same bit, faster and easier. Each bit does the work of many drill bit sizes. You can drill holes in most materials such as plastic, metal and wood up to 1/8" thick.

· Heat-treated, high speed

2169731 steel with titanium coating · 2 flute design for faster, smoother and cleaner cuts

229657: 3/8" round shank

2169731: 1/4" quick change hex shank

 Includes 3 pieces: 3/16" - 1/2" 6-step; 1/4" - 3/4" 9-step; 1/8" - 1/2" 13-step

Part No.	Description 1	10
229657	3/16" - 7/8" 13-step	\$13.49
2169731	3-piece set	14.95

\* Drills and Bits — Enter Web Code NEJ

### JAMECO BenchPro

### **PC Board Drill Bits**

Shaft diameter: 0.125 Use for drilling holes

ın giass i	o boards				
Part No.	Size	Diameter	1	10	100
1919537	1/8	0.125"	\$1.09	\$.99	\$.69
1919588	31	0.120"	1.09	.99	.69
1919300	32	0.116"	1.09	.99	.69
1919609	33	0.113"	1.09	.99	.69
1919553	35	0.110"	1.09	.99	.69
1919570	38	0.102"	1.09	.99	.69
16619	75	0.021"	2.49	2.25	1.95

### JAMECO BenchPro

### **Mini-Drill Bit Kit**

• Mini drill (26702)

• Mini drill stand (26711)

 Drill bit sizes 75 & 31 (P/Ns 16619/1919588)

• Hex: #2, 2.5, 3, 4, 5, 6

Part No. Description Price \$62.95 2113252 Mini-drill bit kit.

# SECURITY DRILL BIT SET KIT

- 'Star': #T8, T10, T15, T20, T25, T27, T30, T35, T40 • Hex: #5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
- Tri-wing: #1, 2, 3, 4 • Fork: #4, 6, 8, 10 Part No.
- Four-wing: #6, 8, 10 10 2131101 \$7.95 \$7.19

229657



# JAMECO BenchPro

# Mini-Drill and Stand

This Mini-Drill is excellent for drilling through circuit boards and protoboards. The drill comes with an array of drilling, grinding and sanding attachments. Drill stand is designed to

function like a drill press. 26711					
Part No.	Description	Wt. (lbs.)	1	5	25
26702	GTT-103A drill	0.8	\$37.95	\$34.95	\$31.95
26711	GTT-104 stand	1.8	29.95	26.95	23.95

### **DRILL AND GRINDER ACCESSORIES KIT AND CASE**

### Kit includes:

- · Sanding bands: 19 pcs
- Collets: 4 pcs
- · Dressing stone: 1 pc
- Felt wheels: 3 pcs
- Pointed felt wheel: 1 pc
- · Grinding wheels: 14 pcs · Rubber emery wheels: 2 pcs
- Sanding papers: 30 pcs
- · Cloth wheel: 1 pc
- Felt wheels: 8 pcs Sanding shanks: 2 pcs • Diamond cutters: 5 pcs • Mandrels: 3 pcs

Part No. Description 2151857 188-piece drill kit ...... \$22.95 \$20.95

\*For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



# Screwdrivers, Calipers & Miscellaneous Tools

3 LEVELS OF SAVINGS NAME HOUSE BRANDS

### JAMECO BenchPro

## Ball-End, Hex Key, Nut Driver & Screwdriver Sets

Bondhus/Felo Products: Inferior tools cost extra money when something goes wrong. The cost of removing a stripped or broken screw head from a tight location or replacing a damaged tool exceeds the cost of purchasing a superior tool in the first place. Get it right the first time around with these reliable tools.

- Material: Protanium high torque steel
- Ball-end inserts quickly into screw head up to 25 degrees
- Delivers perfect balance between tip strength and working angle
  - Ergonomically designed anti-roll handle · Lifetime warranty
- Bondhus: Made in USA; Felo: Made in Germany

Part No.	Mfr.	Description	1	10
34041	BenchPro	6-pc. precision screwdriver set (slotted – 3/64", 1/16", 5/64", 5/32", 1/8", 9/64")	\$3.59	\$3.25
34059	BenchPro	6-pc. precision screwdriver set (Phillips #0 – 1/16", 5/64", 3/32", #1 – 1/8", 9/64")	3.25	2.95
99451	BenchPro	6-pc. long neck screwdriver set (slotted – (Dia. x L) 3/32" x 6 5/8", 1/8" x 7 5/8", 5/32" x 9 5/8",	10.95	9.95
		Phillips – #00 x 6 5/8"L, #0 x 7 5/8"L, #1 x 9 5/8")		
168735	Xcelite	XP600 6-pc ESD-safe screwdriver set, slotted & philps, vanadium steel w/ black oxide tips and case	26.95	23.95
226106	BenchPro	6-pc. precision 50 mm torx screwdriver set (Torx – T5, T6, torx hex – T7, T8, T9, T10)	12.95	11.95
2096229	Felo	6-pc. screwdriver set (slotted – 9/64"; 5/32"; 7/32"; 1/4"; Phillips – #1; #2)	34.95	31.95
2204226	Xcelite	NPND600 6-pc ESD-safe precision nutdriver set, vanadium steel, 7/64", 1/8", 9/64", 5/32", 3/16", 7/32"	32.95	29.95
2119005	BenchPro	8-pc. ratcheting screwdriver bit set (3-slotted, 3 philips, 1 square)	1.19	.99
2157634	BenchPro	8-pc. folding hex wrench set, compact foldable design, 4" long	4.49	3.95
226094	BenchPro	11-pc. magnetic AWL prec. screwdriver set (slotted – .9, 1.2, 1.4, 1.8, 2.4, 3 mm, Phillips – #00, #0, #1)	4.79	3.59
2096173	Bondhus	12-pc. ball-end hex key set (.05"; 1/16"; 5/64";3/32"; 7/64"; 1/8"; 9/64"; 5/32"; 3/16"; 7/32"; 1/4", 5/16"	13.95	12.49
2153060	BenchPro	14-pc. mini screwdriver set with leather pouch and 12 flathead, phillips, and Torx bits	9.95	8.95



# 30 AWG Wire Wrap/Strip Tool Jov

Recommended for use on 0.025" (0.63mm) square posts on 0.100" (2.54mm) center grids. The first 1-1/2 loop

· Watt size indicates

0.05" increments

Grade 410 A.I.S.I.

Part No.

106884

Bends lead length in

appropriate package size

Description



on the modified tool has wire insulation.

· Modified wrap for 30 gauge Kynar wire (pg 42)

1/4-Watt & 1/2-Watt Resistor &

**Capacitor Lead Forming Tool** 

• Lead spacing: 1/4W: 0.4"-1.5"; 1/2W; 0.5"-1.5"

5" Steel Hemostats

1/4W & 1/2W 54 x 15

- Knurled handle for easy grip 5" long
- Wire stripper stored in handle

Part No.	Description	1	5
2150361	Modified wrap tool	\$21.95	\$19.95

### **Strip-Wrap-Unwrap Tools**


- Tool tip made of tempered steel
- Spring steel cutter Use with 30 AWG wire on .025" square posts
  - No solder necessary, see pg 42 for wire
- . Wrap 1 to 2 turns of insulated portion of wire for secure connections • 4.5" long

Part No.	Mir. Part No. 1	
34585	HSM30 (Modified)\$29.95	\$27.95
236785	HSR30 (Regular) 29.95	27.95

\$4.49

# **IC Pin Straightener**

Straighten bent pins safely and easily with Jameco's IC pin straightener.



Material: durable plastic
 Size: 3.3"L x 1.5"W x 0.4"H

Includes: Ground terminal

Part No.	Description	1	10	100
99363	IC straightener	\$7.95	\$6.95	\$5.95

\* Web Code: BBC

# 6" & 12" Stainless Steel Rulers

### Tough and durable for on-site measurements

rough a	na aarabio		o mou	oui oiii	01110	
<ul> <li>Etched of centime</li> </ul>	es	2153131				
	sion table from o millimeters		West	10	4	
Part No.	Cross Ref. No	. Length	1	10	100	
2153107	GMT-106	6"	\$3.59	\$3.25	\$2.95	
2153131	GMT-112	12"	4.95	4.49	3.95	

### stainless steel · Three locking positions 115115 Part No. Cross Ref. No. Description 1 10 115107 HEM01 5" straight ...... \$3.95 115115 HEM02 5" curved ..... 2.95

Size (L" x W")

### SOLDER REWORK CHIPQUIK **CHEMICALS** These work great with both

leaded and lead-free rework. • Solder pastes are 96.5% tin, 3% silver and 0.5% copper • Each includes a 35gram/10cc syringe with plunger and tip

pg						
Part No.	Description	Price				
2097441	Lead-freer, no clean solder paste	\$29.95				
2098232	Water-soluble solder paste	36.95				

## JAMECO BenchPro T-Handle Reamer Tool

### Excellent for aluminum chassis work

- · For enlarging starter holes on panel mount components from 1/8" to 1/2" diameter
- · T-handle for easy rotation of tool Handle: 3.3" long, tool: 5.3" long
- Description \$6.95 151750 T-handle reamer .....

# BenchPr

\* Web Code: CAQ

## **Metal Dial Caliper**

### Measures in inches

· Measures outside, inside & depth Accurate measurements every time

- Easy-to-read dial gauge
- Materials: metal
- Color: silver
- Length: 6" (150mm)

**Includes:** Fitted plastic storage case

Part No. Description (min. reading) 116126 Inches (.001 inch) ...... \$19.95

# **Digital Display Calipers**

### Metric and Inches

- · Hardened stainless steel
- Display: inches to 0.001; mm to 0.01
- Instructions for making internal, external depth & step measurements
- One-year warranty

Includes: Fitted case and 1.5V silver oxide battery (replacement battery, P/N 140783, pg 109)

Description Part No. 127482 Measures 6" (150mm) ....... \$29.95 \$26.95

2153545 Measures 8" (203mm) ..... 28.95 . 31.95

### **Tweezers**

\* Web Code: FAA

\* Web Code: PAQ

\* Web Code: PAQ

252929: Straight round, fine-point tip, stainless steel 253092: Curved fine-point tip

252938: Self-closing reverseaction tweezers; medium point tip; stainless steel

253113: Fine-point tip, insulated, anti-static 252912: Straight fine-point tip, tapered

Part No.	Length	Photo	1	10	25
252929	4.75"	1	. \$2.95	\$2.49	\$1.95
253092	4.6"	2	2.95	2.49	1.95
252938	4.6"	3	3.95	3.59	3.25
253113	4.75"	4	2.95	2.49	1.95
252912	4.75"	5	3.59	3.25	2.95



### 4-Piece Steel Tweezer Set · 4 styles of stainless steel tweezers, one self-locking Part No Description 10 100 10735 4-piece tweezer set .. \$5.95 \$5.49 \$4.95

**2183939** Xytronic

### **Vacuum Tweezers**

Pick & place small parts of all kinds: glass slides, coins, optics, SMDs, film, etc. Easy interchangeable tips · ESD safe body 207239 Part No. Mfr. Includes **207239** Xytronic 4 tips/cups ..... \$17.95 \$19.95



24.95

22.95

JAMECO Be	nchPro	PLCC	&	DIP	IC	Extract	nrs
* Web Code			ī				0.0

3 tips/cups .....





## **Anti-Static Heel Strap**

· Discharges static without restricting your mobility



### JAMECO BenchPro Anti-Static Work Mats These mats are made of

attractive semi-conductive vinyl that provide adequate

discharg	ging yet will		100		
leads or	pins.		236541		
Part No.	Dimensions	Wt. (lbs.)	1	10	25
10576	11.3" x 22"	0.7	\$9.95	\$8.95	\$7.95
10584	19.5" x 23.5"	1.1	13.95	12.49	10.95
2130853	19.7" x 23.6"	1.1	14.95	13.95	12.95
236541	23.5" x 27.5"	1.4	22.95	20.95	17.95
2152075	24" x 48"	3.9	69.95	64.95	59.95

### \* Anti-Static — Enter Web Code XAA


# JAMECO BenchPro Field Service Static Kit

pocket for ESD safe storage 10' ground strap and 6' wrist

strap share on one ground point

<ul> <li>Size: 2'</li> </ul>	x 2.13'			
Part No.	Cross Ref. No	. 1	5	25
2113720	8PK-AS07-1	<mark>\$15.95</mark>	\$14.95	\$13.95

# 22"L Anti-Static Plastic DIP IC **Storage Rails & Rubber Rail Stops**



29516: .300" rail fits 8, 14, 16, 18, 20 and 22-pin ICs 29524: .600" rail fits 24, 28, 36 and 40-pin ICs 29583: Rubber stops used to plug plastic rail ends

Note: previously used			∗ Order i	n multiple	es of 10
Part No.	Product No.	Description	1	10	100
29516	RIC20	.300"W rail .	\$.29	\$.25	\$.22
29524	RIC220	.600"W rail .	29	.25	.22
29583	RRS	Rubber stop	*	.09	.07

THE WALLSON







2210597


For anyone working with precision assembly, inspection or design, these magnifying lamps are essential for the workbench. Whether with incandescent or LED light, our selection will have you choose what best suits your needs to help reduce eye strain and vision fatigue.



Part No.	Diopter	Lamp Size	Length	Shape	†Туре	# of Bulbs	Watts	Color	Wt. (lbs.)	1	5
22710	3	4"Diameter	30"	Circular	INC	1	60	Beige	2.9	\$21.95	\$18.95
2210618	3	5"Diameter	39"	Circular	LED	90	5.4	White	5.6	76.95	71.95
100829	3	5"Diameter	45"	Circular	INC	1	22	Black	7.3	59.95	54.95
149981	3	5"Diameter	45"	Circular	INC	1	22	White	7.3	59.95	54.95
2120330	3	7"Diameter	30"	Circular	LED	4	3.4	White	21	129.95	116.95
217517	3	7"L x 4.5"W	47"	Rectangular	INC	3	9	Beige	7.6	79.95	74.95
2196924	5	5"Diameter	36"	Circular	LED	90	5.5	White	6.8	99.95	89.95
2210600	5	5"Diameter	39"	Circular	LED	45	9.4	White	5.4	94.95	84.95
197456	5	5"Diameter	40"	Circular	INC	1	22	White	7.1	89.95	79.95
2210597	5 <b>*</b>	7"Diameter	36"	Circular	LED	102	16.8	White	10.8	245.95	224.95
*Also contain	s 5 UV LED	s †INC =	Incandes	cent							

### **Anti-Static Wrist Straps**

- · Comfortable, adjustable black Velcro wrist strap
- The coiled grounding cord has banana plug and alligator clips





Part No. Mfr Color 10 100 34552 BenchPro Blk/yellow .... \$6.49 \$5.95 2131266 Velleman Black/yellow ... 4.95 4.49 3.95 2202087 Disposable ..... 3.95

### **Conductive Anti-Static Bags and Foam**

### Don't get zapped!

Protect your investment with these inexpensive bags and ensure a safe work area with our conductive anti-static foam.



3.19

<b>13864</b> : 2	4"L x 12"W x 0.25"H	Order in	n multiple	es of 10
Part No.	Description	1	10	100
249519	4" x 6" anti-static bags, pink	*	\$.19	\$.12
249527	5" x 7" anti-static bags, pink	*	.19	.12
2202247	5" x 7" anti-static zip, gray	39	.29	.19
78650	8" x 10" anti-static bags, gray	39	.29	.25
13864	Anti-static foam	12.95	11.95	10.95

### Visor Magnifier w/ Light

- · Power supply: 4 AAA batteries (not included)
- Adjustable dioptry: 1.8/2.3/3.7/4.8

• SIZE. 7.8	1 L X Z.4 VV X 3	.э п		
Part No.	Mfr. Part No.	Wt. (oz.)	1	10
2131119	VTMG6	5.3	\$7.95	\$6.9

# **LED Lighted Helping Hand**

 Built-in LED light • 2.5" magnifier lens with adjustable neck



Size: 10.5"L x 5.2"W x 2.6"D

Part No. 2168448 55133 ......**\$14.95** \$13.95

Illuminated 1.5X Magnifier

3.5"Dia. x 7.5"L

Light requires 2 AA batteries (not included, recommend P/N 198707, pg 109)



Part No.	Description	1	1
149542	Illuminated magnifier	 \$3.59	\$3.2




\* For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box

### Glue Gun and Glue Sticks

· Adheres to PCBs, cardboard, wires, metal and cloth

Silicon nozzle

Trigger action





### **Light-Duty Battery-Powered Soldering Irons**

2196043

Battery-powered cordless soldering iron for ultimate portability.

- Over 100 solder joints with new batteries
- · Long lasting iron-plated conical tip
- · Improved heater performance
- · Batteries included

Part No.	Mfr. Part No.	Wattage	1	5
2196035	BP650MP	4.5	\$19.95	\$17.95
2196043	BP865MP	6-8	27.95	24.95

### **18-Watt Pro Series Soldering Iron**

- · Heats up to working temperature in just 35 seconds
- Up to 900°F temperature
- · Co-molded grip for a comfortable feel
- Performance equivalent to a 60 watt iron
- · Designed be self-standing, no stand is needed
- Tips use a phono jack and plug for easy tip exchange • ÚL and CUL listed
- Ideal for hobbies, kits, radios and electronics

Includes: Charger and WPS10 soldering tip

Part No.	Mfr. Part No.	Description	1	5
2153810	WPS18MP	18-watt iron	\$34.95	\$31.95
2158637	WPS11	0.03125" chisel tip	10.95	9.95
2158629	WPS10	0.03125" conical tip	10.95	9.95

### 20-Watt Soldering Iron

A high-quality, mains-powered soldering iron for general purposes.

- · Power supply: 20W/110VAC
- UL approved
- · Cord length: 5 feet

Includes: Iron stand

monucs.	iloli Stallu	- 10	
Part No.	Mfr. Part No.	1	5
2131151	VTS20U	\$9.95	\$8.95



### 25-Watt Thermally **Balanced Soldering Iron**

The XY200GX is a thermally balanced soldering iron for the professional or hobbyist.

- 120VAC; 6' cord UL listed
- 25-watt power consumption
- Interchangeable tips (pg 127)
- Length: 8.0" One-year warranty

Includes: 1.6mm conical tip Part No. Mfr. Part No.

129040 200GX-25W ...... \$14.95 \$13.49 \$11.95

\*Soldering Stands — Enter Web Code YAU



### **Heat Guns and Strippers**

All Master® products are made in the US from superior quality materials and the finest craftsmanship. Heat guns are ideally suited for drying, heating, welding, shrinking, soldering, desoldering and many other applications where heat is required.

2076501: • No-slip adjustable stand

· Weight: 4.0 lbs.

**191943:** • 3-pos. switch (hot/off/cool)













191943



Part No.	Mfr.	Product No.	Description	Watts	Heat Setting (°F)	Temp. (°F max.)	1	5
2117413	NTE	HG300-D	Mini heat gun	350	482-662	662	\$24.95	\$22.49
254925	BenchPro	1001A	Economical heat gun	1200	600 & 1000	1000	44.95	39.95
76865	BenchPro	G1HG1	Heat gun/stripper	1500	600 & 1100	1100	44.95	40.95
2076501	Master	HG-501A	Industrial heat gun (23 CFM)	1680	750	750	134.95	124.95
191943	Weller	6996C	Industrial heat gun	250	750-800	800	149.95	134.95
2007062	BenchPro	1004	Accessory kit for P/N 254925	_	_	_	10.95	9.95
			1					

116572

134631

3.29

3.59

134631

### 16 to 30-Watt Variable **Soldering Iron & Stand**


116572: Length: 7.5" 36329: • Black anodized steelbase - 5.3"L x 3.3"W · See below for replacement

sponge (P/N 134631) Fits most soldering

irons .85" dia.







## yz 40 & 60W High-Performance, **Economical Soldering Irons**

- Iron length: 9"
- 120VAC; 6' cord with 3-prong plug
- · High-performance double-wound nichrome heating element
- Flexible, burn-resistant silicon cable

	o, barri roorotarit omroori oabro		
Part No.	Description 1	5	25
224602	40W soldering iron \$13.95	\$12.49	\$10.95
195223	60W soldering iron 14.95	13.49	11.95
226018	Conical tip for P/N 224602 2.95	2.75	2.49

# Weller

# 25 & 35-Watt High-Quality **Soldering Irons**

170587

• 120VAC @ 60Hz

 Interchangeable heater elements

· Lightweight handle with cushioned grip

 Quick change knurled collar Length: 9"

Includes: Power cord & ST3 tip (pg 125)

rait NU.	MIII. Fait No.	Description		บ
170587	WP25	25W solder iron	\$44.95	\$39.95
192102	WP35	35W solder iron	. 59.95	53.95
146608	ST1	Screwdriver tip 1/1	6" <b>5.95</b>	5.39
146616	ST3	Screwdriver tip 1/8	6.95	6.25
192145	ST6	Screwdriver tip .03	1" 5.39	4.89
146624	ST7	Conical tip 1/32"	5.95	5.39

## **60-Watt Replacement** Soldering Iron

· Compatible with the following XYtronic soldering stations: 168-3C, 168-3CD, 9-60A and 9-60D.

Part No. Mfr. Part No. 2144649 XY-207ESD ..... \$39.95 \$35.95

· Cord strain relief for extended life

\* Soldering Irons — Enter Web Code QAS

### Weller **LED Soldering Irons**

- · 3 high-temperature LEDs with 25 lumen light intensity
- Each iron includes soldering aid tool, tip and user's manual
- Durable cable with 5-foot reach 2174901/2174928 includes soldering aid tool, lead-free solder and 2 spare soldering tips

		-	
Part No.	Mfr. Part No.	Description 1	5
2174899	SP15NUS	15W soldering iron \$16.95	\$14.95
2174901	SP25NKUS	25W soldering iron kit	20.95
2174936	SP40NUS	40W soldering iron 22.95	20.95
2174928	SP40NKUS	40W soldering iron kit	23.95
2174944	SP80NUS	80W soldering iron 29.95	26.95





# Weller 100-Watt Soldering Iron

 "Closed loop" method of controlling max. tip temperature

 Nominal heat-up time with 700°F tip is 110 seconds



· Length: 6"

• 120VAC @ 60Hz input • Weight: 0.7 lbs.

Includes: CT6F7 (0.375" screwdriver tip; 700°F)

Part No.	Mfr. Part No.	Description	1	5
192081	W100PG	Solder iron	\$69.95	\$62.95
192090	CT6F7	.375" screwdriver tip	8.95	7.95

# Weller

### 25 to 125-Watt Cordless Soldering Iron Kit

· Self-igniting and instant heat

- · Adjust. temperature (25W to 125W)
- Auto switch off
- · Visible gas level
- · Additional tips can be special ordered
- · 2 hours of heat on average tank setting Use with butane refill (P/N 2097491, pg 130)

Includes: Soldering tool, hot blower tip, hot knife tip,

2.4mm and 4.8mm double flat tip, cleaning sponge, storage case and instruction manual

Part No.	Mfr. Part No. 1	5
152207	PSI-100K <b>\$109.95</b>	\$99.95

### 30 to 100-Watt Soldering Kit


Includes: 30W soldering iron

- . 100W soldering gun with extra tip
- Manual desoldering pump
- Mini third-hand board/ component holder
- Lead solder Size: 13.8"L x 11"W x 3"H Soldering aid tool


Ooluoi	ing ala tool	0120. 10.0	, L / 11 VV	X 0 11
Part No.	Product No.	Wt. (lbs.)	1	5
684596	GSR-600A	4.0	. \$39.95	\$35.95



# Soldering Tip Care



Part No.	Mfr. Part No.	Price
2188043	51303199	\$13.95



# For Prototyping Boards, see page 134

\* Prototyping Boards — Enter Web Code PBH

# Weller 40-Watt Soldering Station

- Lighted on/off switch
- Adjustable power from 5 watts to 40 watts
- 120V @ 60Hz
- Temperature is electronically controlled from 350°F to 850°F



Includes: ST3 1/8" screwdriver tip and manual

Part No.	Mfr. Part	No. 1	5
146595	WLC100	\$59.95	\$53.95


# Weller Soldering Tips

ST Series: Replacement tips for WLC100, WP25, WP30, WP35 soldering irons and stations.

Precision ground copper tips plated with iron, nickel and chromium

ET Series: Replacement tips for PES51 soldering pencil (P/N 2082847). Contains a sensor hole in base of tip fitted with a stainless steel liner

MT Series: Replacement tips for SP23 and SP23D soldering irons. Solid copper tips,



-	-		-	-
21379	991	16811	213800	13
Part No.	Mfr. P/N	Description	1	5
192145	ST6	Screwdriver tip 1/32"	\$5.39	\$4.89
146608	ST1	Screwdriver tip 1/16"	5.95	5.39
2137975	ST2	Screwdriver tip 1/10"	5.95	5.39
146616	ST3	Screwdriver tip 1/8".	6.95	6.25
146624	ST7	Conical tip 1/32"	5.95	5.39
2137983	ST5	Single flat tip 1/32"	6.95	6.25
16774	ETA	Screwdriver tip 1/16"	6.95	6.25
2138020	ETH	Screwdriver tip 1/32"	6.25	5.59
16782	ETJ	Long screwdriver tip 1/3	32" <b>6.95</b>	6.25
16803	ETR	Narrow screwdriver tip 1/	'16" <b>6.95</b>	6.25
2137991	ETP	Conical tip 1/32"	6.95	6.25
16811	ETS	Long conical tip 1/64	' 6.95	6.25
2138011	ET0	Long conical tip 1/32	' 6.95	6.25
2138003	MT1	Cone-shape tip 1/8".	7.95	6.95

### 50W Soldering Stations

- · Manual temperature setting
- Electronic temperature control
- · Power-on LED indication
- Input voltage: 115VAC
- Input power: 50VA max.
- Temp. range: 374°F to 896°F
- (2130626); 302°F to 842°F (2196801) • Size: 7.3" x 4.0" x 3.5" • Weight: 1.6 lbs.

**Includes:** AC cord, iron stand and sponge

Part No.	Mfr. Part No.	Description	1	5
2196801	VTSS4NU	48W station \$24	.95	\$22.49
2130626	VTSS5U	50W station 29	.95	26.95
2174864	BITS5	Conical tip 2	.65	2.39

* Soldering Irons — Enter Web Code QAS	
--	--

\* Soldering/Desoldering Stations — Enter Web Code GEJ

\* Soldering Tips & Sponges — Enter Web Code NAB

# Weller

## **60-Watt ESD-Safe Soldering Station**

(ԱՐ)

Temperature controllable: 600°F, 700°F or 800°F

· Closed-loop method of controlling maximum tip temperature to protect sensitive components



Quick disconnect plug for soldering iron and lighted on/off switch

- Impact-resistant plastic power unit
- Input: 120VAC @ 60Hz
- Size: 5.9"L x 4.5"W x 3.6"H
   Weight: 4.0 lbs.

Includes: Power unit, soldering pencil with PTA7 tip (below), stand and sponge

	\ //		
Part No.	Mfr. P/N	Description 1	5
170552	WTCPT	Solder station \$189.95	\$179.95
192161	TC201T	Replacement iron 99.95	94.95
102100	DTA7	Coroudrings tip 700°F 6 25	E E0

\* Web Code: NAB

## 60 & 80W Lead-Free Digital **Soldering Stations**

### Grounded Soldering Tip

- 150°C to 480°C (302°F to 896°F)
- Fully grounded
- Insulated ceramic heating element for rapid heat-up and heat recovery
- Heater insulation exceeds  $100M\Omega$
- Zero voltage circuitry eliminating high voltage spike and magnetic field generation
- Size: 4.1"L x 3.5"W x 3.5"H Weight: 2.5 lbs.

Includes: Manual, soldering iron w/ 1/32" tip, stand, tip cleaner and sponge

156814: Sharp conical chisel tip 156822: Conical chisel tip

Part No. Mfr. Part No. Description 2174733 LF-389D 60W station ...... \$59.95 \$53.95 2193782 LF-399D 80W station ...... 64.95 58.95 Part No. Mfr. Part No. Description 156814 XYR01 1/32" tip ...... \$4.95 \$4.49 156822 XYR04 1/16" tip ...... 4.49 3.95 134631 SP715 Sponge ..... 3.95 3.59

# Weller

# **50-Watt Analog & Digital Display Soldering Stations**

233533

Innovative heater and sensor combination for quick heat-up and rapid temperature recovery.

- · Tip temperature offset capability allows user to reset temperature readings to match tip size and style
- Wireless temp. lockout
- Auto power-down after



Includes: PES51 50W soldering iron with ETA tip, PH50 stand and sponge, and adjustment tool

Part No.	Mfr. Part No.	Description	1	5
217461	WES51	Analog	\$134.95	\$128.95
233533	WESD51	Digital	189.95	179.95
2082847	PES51	Soldering iron	49.95	47.49
2082783	WCC104	Replacement spon	ge <b>3.95</b>	3.59

\* For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



### 70-Watt Analog Lead-Free **Soldering Stations**

- Input: 110-120VAC @ 60Hz
- Soldering iron assembly
- Adjustable knob for temperature setting
- · Weight: 5.3 lbs.

Includes: soldering station, soldering stand with cleaning pad, soldering iron and manual

- With nichrome heating element & K-type thermocouple sensor
   Size: 8.0"L x 5.2"W x 3.8"H
   LED to indicate power (green), heater on (red)
- Temp. acc.: ±3°C
   Uses model 209 soldering iron

Temp. range: 200°C to 450°C (329°F to 842°F)

Part No.	Mfr. Part No.	Description 1	5
1950711	169	70W analog <b>\$84.95</b>	\$79.95

# Weller 80-Watt Soldering Station

- 120V @ 60Hz
- Lighted on/off switch
- Adjustable power from 5 to 80 watts
- Temperature: 350°F to 900°F
- Size: 5.5"L x 4.5"W x 3.5"H

Weight: 2.1 lbs

Includes: MTG20 3/8" chisel tip iron stand, sponge, AC cord and manual

Part No.	Mir. Part No.	Description	1	
2082775	WLC200	Soldering station .	\$79.95	\$72.95
2082821	MTG22	3/8" cone tip	13.95	12.49
2082783	WCC104	Sponge	3.95	3.59

# @ HAKCO

## 70-Watt Digital ESD-**Safe Soldering Station**

2082775

- · Adjustable temp. control
- Temp. range: 122°F to 896°F (50°C to 480°C)
- Ceramic heating element and sensor ensures rapid heat-up temperature and fast thermal recovery
- Password protected temperature setting

Includes: iron stand, brass wool cleaner,

sponge, AC cord, conical tip Part No. Mfr Part No

<b>2174611</b> FX888D-29BY/P\$139.95 \$125.99

# 90 & 120-Watt ESD Safe, Digital Lead-Free Soldering Stations

- Input: 220-240VAC @ 50Hz, 100-120VAC @ 60Hz
- 0-volt. switching circuitry
- · Precise temp. regulation
- · Heater/sensor failure detection
- · PTC sensor for quick heat-up time
- Temperature range: 2143970: 100°C to 500°C (212°F to 932°F); 2181503: 200°C to 500°C (392°F to 932°F)
- Temp lock out feature, password protected · High-quality sensor and heat transfer technology
- Aluminum housing
   Size: 4.4"W x 6.2"H x 5.4"D

**Includes:** Separate iron holder with brass tip cleaner, soldering tip and AC cord

Part No.	Mfr. Part No.	Wattage 1	5
2143970	LF-3000	90W <b>\$109.95</b>	\$99.95
2181503	LF-3200	120W <b>149.95</b>	134.95

# **Replacement Sponges for Legacy Model Soldering Stations**

134640: For 138-3 134631: For XY-60D. XY-379 & XYT379-C

SP815

SP715

SP715

Part No.

134640

134631

236460



1.7 x 2.1 ..... **2.95** 



## 6-Watt Portable USB Soldering Iron

- · Professional grade soldering tip
- Achieves max. temp. of 896°F/480°C via 9V battery or USB connection
- Rating: 5V @ 800mA
- · Built-in ultra bright LED light
- Heats up in just 20 seconds
  - Perfect for soldering SMD components
- · Energy-efficient, only consumes approx. 5W

Includes: 9V battery adapter, USB cable Y-adapter and sponge

Part No.	Mfr. Part No.	Size	1	
2173618	MSD-086	5.8"L x 0.6"W .	\$19.95	\$17.95

\*SMD Rework Stations — Enter Web Code NAT

## \* Soldering/Desoldering Stations — Enter Web Code GEJ

### 100-Watt Soldering & Desoldering Station with Fume Extractor



- Input voltage: 110-120VAC @ 60Hz
- Soldering iron: 32VAC/100W 150°C to 480°C • Size: 4.2"W x 3.6"D x 5.0"H (302°F to 896°F)
- Desoldering iron: 32VAC/100W 300°C to 450°C (572°F to 842°F) • Weight: 28 lbs.
- Heater and sensor failed detection and temp. lockout features • Digital temp. readout

Includes: 307A soldering iron, DIA100 desoldering iron, soldering stands, fume extractor, AX205 micro cutting pliers, 5-piece high precison tweezers, filter and cleaning accessories, AC power cord and manual

Part No.	Description 1	5
2099198	LF-8800 station \$399.95	\$379.95
2095509	Desolder tip 1.2mm 8.95	7.95
2095517	Desolder tip 1.5mm 8.95	7.95

### 700-Watt Lead-Free Multi-Function Surface Mount Rework Station

- 3-in-1 design: soldering, desoldering, hot air
- Heater/sensor failure detection
- Auto cooling design
- Temp. range: 212°F to 896°F
- Weight: 24.5 lbs.

Includes: AC cord, 5-piece tweezers, replacement heating element, cleaning element, 4-piece nozzle set, iron/hot air gun holders and IC popper

Part No.	Mfr. Part	No. 1	5
2144577	LF-855D	\$299.95	\$279.95

## CHIPQUIK SMD Removal Kit

- · Potential damage to printed circuit boards is eliminated
- 2.5' of CHIPQUIK® material



material, 1cc syringe rework paste flux, alcohol pads for cleaning and complete instructions

Part No.	Description	1	5
141305	SMD removal kit	\$19.95	\$17.95

141305	SMD removal kit	\$19.95	\$17.95
	0		



you hav	re all the to	t to work and make sure ols you need with these 141786 ng necessities.	
Solder	(0)	JAMECO JAMECO  ValuePro  BenchPro	3
Part No.	Mfr.	Description	Price
170457	ValuePro	15 ft solder tube, 0.031" Dia., 99.3% tin, 0.7% copper	\$3.25
141786	ValuePro	1 lb. solder roll, 0.031" Dia., 60% tin, 40% lead	32.95
	Board Ho	Description	Price
Part No.			
Part No. 26690	Mfr.	Description	Price \$7.95 89.95
Part No. 26690 684844	Mfr. BenchPro	Description Third hand tool w/ 3.5" magnifying lens, adjust. clip jaws	\$7.95
Part No. 26690 684844 <b>Cleani</b>	Mfr. BenchPro Panavise	Description Third hand tool w/ 3.5" magnifying lens, adjust. clip jaws	\$7.95
Part No. 26690 684844	Mfr. BenchPro Panavise  ng Tools	Description Third hand tool w/ 3.5" magnifying lens, adjust. clip jaws Circuit board holder w/ 8 rotating pos. and lateral notches	\$7.95 89.95
Part No. 26690 684844 Cleani Part No.	Mfr. BenchPro Panavise  mg Tools Mfr.	Description Third hand tool w/ 3.5" magnifying lens, adjust. clip jaws Circuit board holder w/ 8 rotating pos. and lateral notches  Description	\$7.95 89.95 Price

\* Web Code: NAB

### **22** 80-Watt SMD Rework Stations





2120541

· Thermocouple sensor for stable temp

Rapid heat-up and recovery

**2120541:** • Size: 7.4"L x 5.0"W x 3.3"H • Wt.: 2.6 lbs. Adjustable temperature: 482°F-842°F (250°C-450°C) 2099219: • Size: 8.8"L x 6.0"W x 4.5"H • Wt.: 6.8 lbs. Adjustable temperature: 392°F-896°F (200°C-480°C)

**Includes:** Base power unit, sponge, stand, surface mount tweezer iron and stand for tweezers

Part No.	Description 1	5
2120541	SMD rework tweezer station \$59.95	\$54.95
2099219	Soldering & tweezer combo station 139.95	129.95
156814	SMD conical tip (1/32") 4.95	4.49

### 30-Watt Solder Tool Kit

Includes: Soldering iron with stand, long nose pliers, wire






### 6-Piece Solder Aid Tool Kit

Includes: Various tips: chip holder spacer, reamer, lever, needle, knife, fork shaft, hook and brush Part No Cross Ref. No 2096000 GSR-107 .....

### 600 & 1000-Watt Lead-Free **Hot Air SMD Rework Stations**

2128032

· Incorporates the largest pump in the industry




 Automatic cooling mode protects the heating element Adjustable air-flow:

2128032: 1.5-40L/min; 2174741: 1.5-7.L/min. Nichrome heating element

· Power supply:

100-120VAC @ 60Hz or 220-240VAC @ 50Hz · Electronically controlled temperature system

2174741 with digital readout in preset 2174709 and actual temperature



· Temp lock-out feature, password protected

Sensor/pump failure detection

Static-free circuit design • 25W diaphragm pump Size: 7.3"W x 5.3"H x 9.6"D • Weight: 10.8 lbs.

2128032 includes: Extra 600W heater, 4 focus hood tips, 5 stainless steel anti-magnetic tweezers, IC popper for IC extraction

2174741 includes: 2 focus hood tips, 5 stainless steel anti-magnetic tweezers, IC extractor

Part No.	Mfr. P/N	Description 1	5
2128032	LF-852D	600W station \$225.95	\$199.95
2174741	LF-852D-II	1000W station 249.95	229.95
2174709	A1126B	14mm <sup>2</sup> QFP nozzle 26.95	23.95
2174717	A1135B	17mm <sup>2</sup> PLCC nozzle <b>27.95</b>	25.49
2174725	A1260B	18x8.6mm SOP nozzle <b>27.95</b>	25.49

# 900-Watt Lead-Free, ESD-Safe **Soldering Rework Station**

· 3-in-1 design: solderir desoldering and hot air station

2 LED displays

Temperature and air pressure settings

Temperature-lock feat Heater and sensor failure detection

Input voltage: 100-120/220-240VAC @ 60Hz/50Hz

Soldering iron temperature range: 302°F - 896°F

Desoldering iron temperature range: 572°F - 842°F

Hot air temperature range: 212°F - 896°F Fume extractor air volume: 95/115 CFM

Weight: 26.5 lbs.

Includes: Soldering iron, desoldering iron, hot-air iron, fume extractor, extra heating element, 2 soldering iron stands, 4 hood tips and 5 tweezers

Part No.	Mfr. Part No.	1	5
2128041	LF-853D	\$569.95	\$529.95

### \*SMD Rework Stations — Enter Web Code NAT


### Heat Sink & Soldering Aid Kit



100378: Heat sink absorbs and dissipates heat during soldering & desoldering of sensitive parts 100503 Includes: Soldering wick, 3 pc. scraper set, acid brush, clip-on heat sink and empty squirt bottle

Part No.	Description	1	10	25
100378	Clip-on heat sink	\$1.49	\$1.25	\$.99
100503	7-piece soldering kit	7.95	7.49	6.95

# Tips & Replacement Parts for XYtronic Soldering and Desoldering Products



 $^\star$  For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



			anipo
	disassembles	_	
for clea	9	216	8261
•	ement tips available	- 1	-
	: • UL listed	1	9166
	nd operation D.5"L x 1.0"Dia.	-	
		10	42139
1942139	: Size: 13.3"L x 1.0"Dia. 🕠	, ,,	72103
<b>19166</b> : S	Size: 7.8"L x 0.8"Dia.		
2131215	: Size: 7.5"L x 0.8"Dia.	* Web Co	de: FXC
Part No.	B		
rait NU.	Description	1	5
2168261	Electric desolder pump		\$26.95
	<u> </u>	\$29.95	
2168261	Electric desolder pump	<b>\$29.95</b> <b>11.95</b>	\$26.95
2168261 2131021	Electric desolder pump Vacuum desolder pump	\$29.95 11.95	\$26.95 10.95
2168261 2131021 1942139	Electric desolder pump Vacuum desolder pump Manual desolder pump	\$29.95 11.95 8.95	\$26.95 10.95 7.95
2168261 2131021 1942139 19166	Electric desolder pump	\$29.95 11.95 8.95 8.95	\$26.95 10.95 7.95 7.95
2168261 2131021 1942139 19166 2131215	Electric desolder pump	\$29.95 11.95 8.95 8.95 8.95 5.39	\$26.95 10.95 7.95 7.95 8.49

\*Antistatic tip



This kit combines all the tools you need in order to begin soldering.

### Kit includes:

- · 30-watt UL listed soldering iron
- Soldering iron stand
- Solder Heat sink clamp
- · Small slotted screwdriver with stripper
- Medium slotted screwdriver
   Soldering tool
- Medium philips screwdriver
   Diagonal cutters Part No. Cross Ref. No.

Tool case

2132322 GTK-059A .....

\$18.95

# **Heavy Duty Solder Stand**

- · Heavy hardened steel base Sturdy screw-on iron holder
- Weight: 1.1 lbs.

**Includes:** Cleaning sponge

2157651



· 4 pc. spool stand (some assembly required) Sponge size: 1.6"W x 2.4"L

· Shaft diameter: 0.6"

Part No. Size (L x W x H) Wt. (lbs.) 169551 6.0" x 3.5" x 3.1" \$11.95 2.0



# Solder Spool Stand

12 pc. solder spool stand (some assembly required)

• Size: 3.6"W x 3.9"D x 4.3"H · Shaft diameter: 0.6'

Part No. Description Wt. (lbs.) 141761 Solder stand 1.6 ... **\$12.95 \$11.49 \$9.95** 




Solder not

included

1

· For cleaning soldering iron tips without the use of water and sponge Metal wool for cleaning

156777 · Rubberized base for stability Part No. Description Wt. (lbs.)



### 150-Watt Solder Pot

- · On-off switch on handle
- Input voltage: 120VAC
- · Maintains pot temp. of 450°C to 480°C (842°F to 896°F)
- 3-conductor power cord: 5' long
- Pot size: 30mm deep x 35mm Dia.

Mfr. Part No. Wt. (lbs.) 1.2 ..... **\$52.95** 2115418 RD-7339



### 300-Watt Solder Pot

### Temperature Regulated Between 420°C and 450°C

• 2 conductor power cord: 5' 9" long Holds up to 2.2 lbs. of solder bars

recommend P/N 176057, pg 129

Input voltage: 110VAC @ 2.7A; 50-60Hz

• Size: (unit) 4.8"H x 5.5" Dia. (base)

 Size: (tub) 2.4"Dia. x 1.6"D One-year warranty

Part No. Description Wt. (lbs.) 300W solder pot 1951625 \$89.95 \$79.95



### 600-Watt Solder Pot

### Temperature Adjustable

- 2-wire power cord (5'5")
- Temperature: 0°C to 500°C Input voltage: 110VAC @ 5.5A
- Holds up to 5.5 lbs. of solder bars pg 129 power switch and LED indicator for heat
- Self-regulating temp.
   Size (tub): 3.9"L x 1.6"D
- Size (unit): 6.8"L x 5.5"W x 2.8"H

Includes: Skimmer and removable dross tray

Part No. Description Wt. (lbs.) 172276 600W solder pot 7.4 .... **\$229.95** \$209.95



### 2000-Watt Solder Pot

- · Thermostat control for setting temp. from 50°C to 300°C
- Holds up to 57.3 lbs. of solder bar pg 129
- 3 conductor pigtail power cord: 5'L
- Input voltage: 110VAC @ 18A, 50-60Hz single phase
- Size (unit): 18.1 L x 11.5 W x 6.0 H

Size (tub): 12.0"L x 8.0"W x 2.9"H P/N 37997, pg 100)

Description Wt. (lbs.) 149876 2000W solder pot 23.1..... \$299.95 \$269.95

Power cord

not included

5


5

11.49

# Magnifier Third Hands

- · Great for when two hands aren't enough
- · 2 adjustable clamps for easy board hold
- 3.5" diopter 4 (2x magnification) 2196756: With iron stand, 2 LEDs & 4

mini diopter 20 (6x magnification) Mfr. Part No. Part No. Size (in.)






681002

\$10.95

25

### **Third Hand Tools**

· Two adjustable arms with alligator clip jaws



With holder/sponge



3.5 \* Solder Pots — Enter Web Code HAW

1.7 .. **12.95** 

# 22-Watt Fume Extractor

Absorbs noxious lead fumes using activatedcarbon filter and a high-efficiency fan

- Operate continuously providing filtered air
- Static ground jack
- Fuse protected
- Noise: 49dB fan · Air flow: 115 CFM
- 120VAC, 60Hz, 22 watts
- Uses 130mm filters
- Large surface area w/ adjust. angles Size: 7.2"W x 5.4"D x 7.9"H
   One-year warranty

Includes: Detachable power cord

Part No.	Description	Wt. (lbs.)	1	5
2171786	Fume extractor	2.6	. \$49.95	\$45.95
127183	Replace, filters (3/pk)	0.05	9.95	8.95



### **Fume Extractor Kit**

Everything you need in order to build your very own mini pocket-sized fume extractor.

- · Kit includes:
- Voltage regulator
- 12VDC fan
- Slide switch
- 2 fan guards
- Replacement filter Heat shrink
- · Heat shrink Jumper wire · Tin enclosure Two 9V batteries w/ clips
- · For step-by-step instructions, visit the workshop center at www.Jameco.com/Fume

Part No.	Description 1	5
2137481	13-pc. fume extractor kit \$17.95	\$15.95



### **42-Watt Combo Soldering** Station and Fume Extractor

- Power consumption:
- 42W @ 650°F (soldering iron) Adjustable knob for temperature
- control: 500°F to 800°F
- Stability @ idle: ±9°F
- Max. air volume: 95/115CFM
- LED indicator for pilot light
- · Electronic zero-voltage switching
- Input voltage: 100-120VAC @ 60Hz

Size: 6.4"W x 7.8"H x 4.7"D

**Includes:** Soldering iron, iron holder, sponge, carbon activated filter, power cord and manual

Part No.	Mfr. Part No.	Wt. (lbs.)	1	5
183169	456DLX	5.2	\$74 95	\$68.95

# Weller 20-Watt Fume Extractor

This fume extractor removes flux fumes from the soldering workbench by drawing smoke through an activated carbon filter. With its exceptionally quiet fan, it can process up to 1.37 cubic meters of air per

minute and its stand is adjustable, allowing it to be set-up in multiple positions.

- Voltage: 120VAC • Sound level: 45-50dB
- Air consumption: 87-107CFM ESD safe Power consumption: 20W • UL/CUL listed
- Absorption capacity: 1.25 cubic meters to 1.37 cubic meter per minute
- Size: 10"L x 6.5"W x 11"H

Part No.	Mfr. Part No.	Wt. (lbs.)	1	5
684810	WSA350	4.2	\$69.95	\$64.95
684828	WSA350F (carbon filter	0.02	8.95	7.95

\* Fume Extractors — Enter Web Code HAR





Due to extraordinary price fluctuations

# PANALISE Multi-Purpose Work Center

- · Jaws open to 9"
- Double action extra wide self-centering heads allow fast opening and closing; centered weight allows jaws to hold heavier objects; plates can be reversed to close together; reversible jaw pads feature
- ribbing on one side and a V groove on the other Base has three 1/4" countersunk mounting holes
- . Overall base diameter is 8.5'

Part No.	Mfr. Part No.	Wt. (lbs.) 1	5
684852	350	5.0 <b>\$99.95</b>	\$89.95

### **Electronic Work Center**

• Size: 8.5"W x 7.8"H

Includes: Circuit board holder, standard base, tray base mount and wire holder

Part No.	Mfr. Part No.	Wt. (lbs.)	1	5
27060	324	5.3	. \$99.95	\$89.95

# PANAVISE

## **Rapid Assembly Circuit Board Holder**

· 8 positions rotating adjustment, six positive lock positions in the vertical plane and height adjustment for quick board rotation speeds

 Holds circuit boards from 1/8" (3.2mm) to 12" (304.8mm) wide and up to 5/32" (4mm) thick

 Arms move independently • 10" high

Part No.	Mfr. Part No.	Wt. (lbs.)	1	5
684844	333	6.4	\$89.95	\$84.95

### PANAMSE Vacuum Base Vise

- · Head moves through three planes: 210° tilt. 360° turn and rotation
- · Grooved jaws are made of reinforced thermal alloy and open up to 2.9"
- Base dia.: 3.4" Fine/coarse adjustment

Jaw SIZ	C. ZIIXIVV	Troigit.	7.511	
Part No.	Mfr. Part No.	Wt. (lbs.)	1	
251791	209	0.8	. \$35.95	\$32.9

### PANAVISE Vacuum Base Vises

- · Features the patented "split ball" that tilts, turns and rotates through three planes
- Powerful suction pad for quick and easy set-up
- Nylon jaws open 2.25
- Síze: 5.0"L x 4.0"W x 6.3"H

Part No.	Mfr.	Product No.	Wt. (lbs.	) 1	5
262116	BenchPro	GV-300	3.3	\$39.95	\$35.95
27131	PanaVise	M381	3.3	69.95	63.95

262116



# **LED Lighted Helping Hand**

- Two alligator clip jaws
- Two LED lighting w/ adjustable gooseneck for optimum lighting
- Main lens of 2.56" with 3.5x magnification and accessorial lens of 0.67" with 12x magnification
- Bottom battery compartment is furnished with steel plate base for great stability

Includes: 3 AAA batteries

Part No. Description 2218302 \$13.49

\* Vises — Enter Web Code TAD

Lighted helping hand ...... \$14.95



## **Solder Bars, Rolls and Pocket Packs**

% Composition Diameter Pricing Part No Lead Silver Copper Manufacturer Tin Inches/mm Weight 10 2210132 0.025/0.64 \$37.95 \$34.95 Kester 1 lbs 73576 Kester 60 40 0.031/0.787 0.5 oz. 2 3.29 2.95 32117 Kester 60 40 0.031/0.787 1.08 lbs. 1 35.95 33.95 2184616 Kester 60 40 0.062/1.57 1.03 lbs 1 37.95 35.95 141786 0.031/0.787 1.13 lbs 29.95 ValuePro 60 40 32.95 176057 ValuePro 60 40 12.5x0.75x0.44 1.1 lbs. 3 29.95 27.95 2188220 40 0.05/1.27 26.95 Kester 60 1.0 lb. 29.95 94570 Kester 60 40 0.05/1.27 1.3 oz. 2 4.95 4.49 2210124 Kester 60 40 0.040/1.02 1 lhs 36 95 33.95 2.0 0.02/0.508 73605 Kester 62 36 0.35 oz 2 3.95 3.59 2177694 ValuePro 63 37 0.015/0.381 1 0 lb 39.95 34.95 2210116 0.025/0.64 Kester 63 37 1 lbs 1 39.95 36.95 2210087 63 37 0.031/0.79 39.95 36.95 Kester 1 lbs 2210095 0.031/0.79 Kester 63 37 1 lbs 1 44.95 39.95 63 37 0.031/0.787 151474 Kester 1.0 lb 39.95 34.95 2188246 Kester 37 0.031/0.787 1.0 lb. 1 63 34.95 31.95 2158178 0.05/1.27 26.95 Kester 63 37 1.0 lb. 29.95 1 668262 ValuePro 96.3 3.2 0.5 0.04/1.02 7.2 oz. 1 39.95 36.95 668297 ValuePro 96.3 0.04/1.02 0.5 1.1 lbs. 79.95 75.95 3.2 2113172 Kester 96.5 3.0 0.031/0.787 0.43 oz. 2 0.5 5.95 5.39 170457 ValuePro 99.3 0.031/0.787 0.8 oz. 3.25 2.95 0.7 2 668078 ValuePro 99.3 0.7 0.04/1.02 9.15 oz. 26.95 24.95 209075 ValuePro 99.3 0.031/0.787 36.95 0.7 1.0 lb.



3. 13" Bar

<b>S</b> tribe	The Chemitronics 5' Desolder Braids				NEW MARKED IN PINK		* Web Code: DAG
Part No.	Manufacturer	Product No.	Description	Width (in.)	1	10	
2139137	Techspray	1820-5F	No-Clean, Military/NASA certified, 5'	.035	\$3.95	\$3.59	
2203776	Techspray	1821-5F*	No-Clean, Military/NASA certified, 5'	.055	3.59	3.25	531
124126	Techspray	1815-5F	No-Clean, Military/NASA certified, 5'	.055	4.95	4.49	100-011
2203784	Techspray	1822-5F*	No-Clean, Military/NASA certified, 5'	.075	3.95	3.59	
124118	Techspray	1816-5F	No-Clean, Military/NASA certified, 5'	.075	4.95	4.49	263708
2203792	Techspray	1823-5F*	No-Clean, Military/NASA certified, 5'	.098	4.49	3.95	
263708	Techspray	1817-5F	No-Clean, Military/NASA certified, 5'	.098	5.49	4.95	
2203805	Techspray	1825-5F*	No-Clean, Military/NASA certified, 5'	.193	4.95	4.49	100
2192430	Philips	ZW100-5	Zip Wick Military/NASA certified, 5'	.100	3.49	2.95	(S)0//
2203768	Techspray	1810-5F*	Pro Wick, pure rosin 5'	.075	3.59	3.25	
263695	Techspray	1803-5F	Pro Wick, pure rosin, 5'	.075	3.95	3.75	263695
263599	Techspray	1804-5F	Pro Wick, pure rosin, 5'	.098	4.49	3.95	
263581	Techspray	1811-5F	Pro Wick, pure rosin w/ bobbin, 5'	.098	3.59	3.25	A CONTRACTOR OF THE PARTY OF TH
41082	ValuePro	GISW20	Desolder braid, solder wick, 5'	.079	1.95	1.75	
41100	ValuePro	GISW25	Desolder braid, solder wick, 5'	.098	2.19	1.99	
153462	ValuePro	GSR104D	Desolder braid, solder wick, 5'	.120	2.25	1.95	2113130
2113130	Chemtronics	60-3-5	Soder-Wick® no clean size 3, 5'	0.08	4.95	4.49	2113130
2113148	Chemtronics	60-4-5	Soder-Wick® no clean size 4, 5'	0.11	5.95	5.39	*Anti static

ЗМ	Tape Products							le: TPS
Part No.	Description	Color	Width	Length	Thickness	1	10	50
285587	Vinyl electrical tape, Tartan 1710, UL	Black	.75"	20 yards	.007"	\$1.59	\$1.45	\$1.25
1643551	Embossed copper foil, 1245 tape	Copper	.50"	18 yards	.004"	22.95	21.49	19.95



\* Web Code: YAU

### PANAVISE PV Jr. Vise

- Jaw size: 1" wide x 2" long; opening: 2.8'
- Jaw heat tolerance: 350°F
- · Vertical/horizontal jaw grooves
- Fine/course adjusting knob
- Vise height: 6.8" Weight: 1.4 lbs.
- Base bolt is 4.3" and fits all PanaVise base mounts

Mfr. Part No. Part No. 134439 PVJR 201 \$29.95 \$26.95

### JAMECO BenchPro

### 360° Clamp Vise

\$19.95

 Ball cup allows vise to adjust to any angle Rubber jaws open 2'

Size: 10.0"L x 2.5"W

**Includes:** interchangeable pipe vise attachment Part No. Cross Ref. Wt. (lbs.) 127167 OR-307 \$17.95



### **Helping Hand with LED Magnifier Lamp**

This is perfectly suited for soldering comfortably while keeping one hand free.

- Large lens with 2x magnification Small embedded lens to 4x
- magnification of extremely small parts Ring light with 16 LEDs and gooseneck for
- optimum lighting Easily adjustable hinge
- Adjust. third hand w/ 2 alligator clips Additional flexible 9.8" (250mm)
- gripping arm with alligator clip Solder wire reel holder
- Soldering iron holder Cast-iron base Stand size: 7.0"W x 7.0"H
- Includes: Power adapter and sponge Part No. Description Wt. (lbs.) 2168587 Helping hand ..... \$74.95

\* For additional products, availability and specifications visit <u>Jameco.com</u> and enter the Web Code in the product search box



\$69.95





















### **Workshop Chemicals & Heat Sink Compounds**

Part No.	Manufacturer	Description	Vol. (oz.)	1	5
2120794	MG Chemicals	Adhesive epoxy, high temperature encapsulating and potting compound*	12	\$43.95	\$39.95
615769	GC Electronics	Adhesive, sealant, silicon, one part, non corrosive, clear	3	5.95	5.39
2094207	Caig/DeoxIT	Air duster, non-flammable, moisture free, non-ozone depleting, no VOC*	10	10.95	9.95
2112524	ChipQuik	Cleaner & tinner, soldering tip for pre-tinning & tinning*	8 <mark>†</mark>	10.95	9.95
2097491	Master Appliance	Butane gas refill	5.125	6.95	6.25
2094231	Caig/DeoxIT	Cleaner wash, contact evaporates quickly, safe on plastics*	10	9.95	8.95
2094223	Caig/DeoxIT	Cleaner, contact quick dry, chemically improves metal electronic connections*	0.5	11.95	10.95
118033	Techspray	Cleaner, contact, ECONOLINE, CFC free, aerosol can*	13.5	17.95	15.95
195004	Caig/DeoxIT	Cleaner, contact dioxidizer & preservative, improves electronic connections*	5	17.95	15.95
2094215	Caig/DeoxIT	Cleaner & conditioner, soldering tip	0.5	9.95	8.95
616331	GC Electronics	Conductive paint, silver print II*	0.5#	59.95	53.95
2110529	Caig/DeoxIT	Circuit writer pen, silver based, for drawing & repairing traces, works on rubb., epoxy, glass, plastic $^\star$	5g <mark>†</mark>	27.95	24.95
2188297	MG Chemicals	Conductive nickel coating aerosol, reduces EMI/RFI, adheres to ABS & polycarbonates $^{\star}$	12	44.95	40.95
2120559	MG Chemicals	Conformal coating, acrylic lacquer, protects from ESD*	2	14.95	13.49
525851	Chemtronics	Cotton swabs, double headed, 6" handle, 100-pack	_	6.25	5.59
616411	GC Electronics	Developer, positive type, concentrate, dilute 9:1*	6	11.95	10.95
2157941	3M	Electrical coating FD, fast drying sealant and bonding agent	15	36.95	32.95
616438	GC Electronics	Etching solution, PC board, ferric chloride solution*	32	24.95	22.95
2188262	MG Chemicals	Ferric chloride copper etchant solution, etches PCBs 175-200 µinch/minute*	33	17.95	15.95
616446	GC Electronics	Etching solution, PC board, ferric chloride solution*	128	47.95	42.95
139934	Techspray	Freeze spray, Envi-Ro-Tech, circuit chiller, CFC and HFC free*	8	19.95	17.95
615355	GC Electronics	Heat sink compound, 100% synthetic base stocks type 44	16 <mark>†</mark>	39.95	36.95
236823	ValuePro	Heat sink compound, silicon based grease	0.35	4.95	4.49
167249	Aavid Thermalloy	Heat sink compound, silicon based grease*	2 <mark>†</mark>	8.95	7.95
169252	Techspray	Heat sink compound, silicon free	4 <b>†</b>	32.95	29.95
259151	NTE	Heat sink compound, white gel, thermal grease (5 pack)	1g <mark>†</mark>	2.95	2.49
615312	GC Electronics	Heat sink compound, zinc oxide-filled silicon grease	0.23	3.95	3.59
615321	GC Electronics	Heat sink compound, zinc oxide-filled silicon grease	1†	7.95	6.95
615304	GC Electronics	Heat sink compound, zinc oxide-filled silicon grease	16 <b>†</b>	29.95	26.95
263572	Techspray	Isopropyl alcohol, plastic bottle*	16	13.49	11.95
2188289	MG Chemicals	Liquid isopropyle alcohol, general purpose cleaner*	33.8	14.95	13.49
2201762	MG Chemicals	Liquid rosin flux, fully activated, instant wetting, non-corrosive, non-conductive*	4.2	12.95	11.49
2201771	MG Chemicals	Liquid rosin flux pen, fully activated, RA type, non-corrosive, non-conductive*	0.34	13.95	12.49
2188300	MG Chemicals	No clean flux paste with syringe, 10cc/10ML	8g†	12.49	11.49
118041	Techspray	Solder flux remover, ECONOLINE, CFC free, aerosol can*	13.5	19.95	17.95
1586015	Chipquik	Solder flux, tack for rework, no clean, 10cc w/ syringe	0.34	19.59	17.95
481764	Techspray	Solder flux, dispensing pen, No-clean, resin & halide free leaves no residue*	0.38	9.95	8.95
615224	GC Electronics	Solder flux, liquid, non corrosive, solution of special rosin in alcohol*	2	9.95	8.95
615232	GC Electronics	Solder flux, liquid, non corrosive, solution of special rosin in alcohol*	16	26.95	24.95
2094258	Caig/DeoxIT	Solder flux, rosin paste for electronic applications including PCBs*	2	10.95	9.95
2113092	Chemtronics	Solder flux, rosin dispensing pen, for electronic applications including PCBs*	0.32	12.95	11.49
2098208	Chipquik	Solder paste, 63% SN, 37% PB, no clean 10cc w/ syringe*	0.34	27.95	24.95
2098224	Chipquik	Solder paste, 63% SN, 37% PB, no clean 10cc w/ syringe, water washable*	0.34	29.95	26.95
2097441	Chipquik	Solder paste, 96.5% SN, 3% AG, 0.5% CU, no clean 10cc w/ syringe*	0.34	29.95	26.95



#Trov ounces

†Measured by weight

# **ProtoDough Reusable Prototyping Design Plastics**

- · Create custom molds of any design quickly and easily
- · Non-toxic, lightweight and paintable High elongation break points
- Can be drilled, sawed and machined 3.5mm pellets
- Melting point temperature: 136°F-140°F Safe for hand molding

Part No.	Cross Ref. No.	Description	1	5
2208286	Proto Dough-250G	250 gram bag	\$14.95	\$13.49
2208294	Proto Dough-500G	500 gram bag	17.95	15.95
2208307	Proto Dough-1000G	1000 gram bag	34.95	31.95



\* Heat Sink Compounds — Enter Web Code YBA











2094207

2112524 2094231









195004

2094215









2110529



1586015









2098224

2094258

2113092

# JAMECO BenchPro Cleaning Brushes

153322:	Metal handle				
Part No.	Description	Length	1	10	100
153322	Soft bristles	6"	\$.79	\$.69	\$.59

# JAMECO BenchPro Plastic Pump Bottle

. 6 oz. bottle • ESD compliant

 Plastic bottle with dispenser cover · Color: light blue

Part No. Cross Ref. No. 5 \$14.95 \$13.49 \$11.95

# JAMECO BenchPro Clip-On Heat Sink

· Absorbs and dissipates heat during soldering and desoldering sensitive parts



Part No.	Cross Ref.	Size	1	10	100
159126	HT156	2.7"L x 0.7"W	. \$2.95	\$2.59	\$2.29

\* Cleaning Tools — Enter Web Code CLE

